

Target folder: C:\Flowcodev9_Files\MoniEspTest
Source name: C:\Flowcodev9_Files\MoniEspTest\Test.fcfx
Title:
Description:
Device: ESP.ESP32.ESP32_DEVKITV1
Generated by: Flowcode v9.3.1.36
Date: Saturday, December 17, 2022 23:28:26
Users: 1
Registered to: xxxxxxxx
Licence key: xxxxxxxx
<https://www.flowcode.co.uk>
Using FCD settings for compiler
Launching the compiler...
C:\ProgramData\MatrixTSL\FlowcodeV9\FCD\ESP\Batch\esp32_build.bat "C:\esp-idf\" "Test"
"C:\Flowcodev9_Files\MoniEspTest\" esp32s_sdkconfig

C:\Flowcodev9_Files\MoniEspTest>REM CRC:
0796FC1E6A776AF9156B257209C35258CE7C28B3EC20AEA2C632DB392A0E4BFD5B3F53B21811978F7B21FE
4085045A7E774D1D3D69D8A99EE7320EAE740A5DB6EFB7F8B9768FC390BAFB420BC9D6F4D56375EE3039B
8BDDEA4D1C56CD1580BF569DAEA777BB49732B199900461C78937B42DEF8219F63A24580137A2F6C8FDB75
53324EFF791947E8AB6FFD612B81BAA97C798A8F1CFC189DE5D38517747C774AF2DD6F839BAECF83F7F994
C7164CE77868F480396BDEF2F2C3050DA273BE4EE20CC17B921F6F114A09D373C35E2F6843075ABAEF7BDE
0FCD2CED24345F1155B2F83CAC1F23BFA51

C:\Flowcodev9_Files\MoniEspTest>REM REVISION: 5.0

C:\Flowcodev9_Files\MoniEspTest>REM GUID: 955EA920-4961-4C53-BA6B-EF4AF66BB4C2

C:\Flowcodev9_Files\MoniEspTest>REM DATE: 05\12\2022

C:\Flowcodev9_Files\MoniEspTest>REM DIR: FCD\ESP\Batch\esp32_build.bat

.
===== Toolchain Check =====
Python 3.11.1
git version 2.21.0.windows.1
ESP toolchain found at "C:\esp-idf"

.
Building Test ...
Checking Python compatibility
Setting IDF_PATH: C:\esp-idf

Adding ESP-IDF tools to PATH...

C:\esp-idf-tools\tools\xtensa-esp-elf-gdb\11.2_20220823\xtensa-esp-elf-gdb\bin
C:\esp-idf-tools\tools\riscv32-esp-elf-gdb\11.2_20220823\riscv32-esp-elf-gdb\bin
C:\esp-idf-tools\tools\xtensa-esp32-elf\esp-2022r1-11.2.0\xtensa-esp32-elf\bin
C:\esp-idf-tools\tools\xtensa-esp32s2-elf\esp-2022r1-11.2.0\xtensa-esp32s2-elf\bin
C:\esp-idf-tools\tools\xtensa-esp32s3-elf\esp-2022r1-11.2.0\xtensa-esp32s3-elf\bin
C:\esp-idf-tools\tools\riscv32-esp-elf\esp-2022r1-11.2.0\riscv32-esp-elf\bin
C:\esp-idf-tools\tools\esp32ulp-elf\2.35_20220830\esp32ulp-elf\bin
C:\esp-idf-tools\tools\cmake\3.24.0\bin
C:\esp-idf-tools\tools\openocd-esp32\v0.11.0-esp32-20221026\openocd-esp32\bin
C:\esp-idf-tools\tools\ninja\1.10.2\
C:\esp-idf-tools\tools\idf-exe\1.0.3\
C:\esp-idf-tools\tools\ccache\4.6.2\ccache-4.6.2-windows-x86_64
C:\esp-idf-tools\tools\dfu-util\0.9\dfu-util-0.9-win64
C:\esp-idf-tools\python_env\idf5.0_py3.11_env\Scripts
C:\esp-idf\tools

Checking if Python packages are up to date...
Python requirements are satisfied.
Constraint file: C:\esp-idf-tools\espidf.constraints.v5.0.txt
Requirement files:

```
- C:\esp-idf\tools\requirements\requirements.core.txt
Python being checked: C:\esp-idf-tools\python_env\idf5.0_py3.11_env\Scripts\python.exe
```

Done! You can now compile ESP-IDF projects.
Go to the project directory and run:

```
idf.py build
```

Executing action: all (aliases: build)

Running cmake in directory c:\flowcodev9_files\moniesptest\test\build

```
Executing "cmake -G Ninja -DPYTHON_DEPS_CHECKED=1 -DESP_PLATFORM=1 -DIDF_TARGET=esp32
-DCCACHE_ENABLE=1 c:\flowcodev9_files\moniesptest\test"...
```

```
-- Found Git: C:/Program Files/Git/cmd/git.exe (found version "2.21.0.windows.1")
```

```
..
```

```
-- ccache will be used for faster recompilation
```

```
-- The C compiler identification is GNU 11.2.0
```

```
-- The CXX compiler identification is GNU 11.2.0
```

```
-- The ASM compiler identification is GNU
```

```
-- Found assembler: C:/esp-idf-tools/tools/xtensa-esp32-elf/esp-2022r1-11.2.0/xtensa-esp32-elf/bin/xtensa-esp32-elf-gcc.exe
```

```
-- Detecting C compiler ABI info
```

```
-- Detecting C compiler ABI info - done
```

```
-- Check for working C compiler: C:/esp-idf-tools/tools/xtensa-esp32-elf/esp-2022r1-11.2.0/xtensa-esp32-elf/bin/xtensa-esp32-elf-gcc.exe - skipped
```

```
-- Detecting C compile features
```

```
-- Detecting C compile features - done
```

```
-- Detecting CXX compiler ABI info
```

```
-- Detecting CXX compiler ABI info - done
```

```
-- Check for working CXX compiler: C:/esp-idf-tools/tools/xtensa-esp32-elf/esp-2022r1-11.2.0/xtensa-esp32-elf/bin/xtensa-esp32-elf-g++.exe - skipped
```

```
-- Detecting CXX compile features
```

```
-- Detecting CXX compile features - done
```

```
-- Project is not inside a git repository, or git repository has no commits; will not use 'git describe' to determine PROJECT_VER.
```

```
-- Building ESP-IDF components for target esp32
```

```
-- Project sdkconfig file C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig
```

```
C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:38 CONFIG_SECURE_BOOT_ENABLED was replaced with CONFIG_SECURE_BOOT_V1_ENABLED
```

```
C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:80 CONFIG_COMPILER_OPTIMIZATION_LEVEL_DEBUG was replaced with CONFIG_COMPILER_OPTIMIZATION_DEFAULT
```

```
C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:81 CONFIG_COMPILER_OPTIMIZATION_LEVEL_RELEASE was replaced with CONFIG_COMPILER_OPTIMIZATION_SIZE
```

```
C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:93 CONFIG_ESP32_APPTRACE_DEST_TRAX was replaced with CONFIG_APPTRACE_DEST_JTAG
```

```
C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:94 CONFIG_ESP32_APPTRACE_DEST_NONE was replaced with CONFIG_APPTRACE_DEST_NONE
```

```
C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:95 CONFIG_ESP32_APPTRACE_ENABLE was replaced with CONFIG_APPTRACE_ENABLE
```

```
C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:96 CONFIG_ESP32_APPTRACE_LOCK_ENABLE was replaced with CONFIG_APPTRACE_LOCK_ENABLE
```

```
C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:128 CONFIG_ESP32_DEFAULT_CPU_FREQ_80 was replaced with CONFIG_ESP_DEFAULT_CPU_FREQ_MHZ_80
```

```
C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:129 CONFIG_ESP32_DEFAULT_CPU_FREQ_160 was replaced with CONFIG_ESP_DEFAULT_CPU_FREQ_MHZ_160
```

```
C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:130 CONFIG_ESP32_DEFAULT_CPU_FREQ_240 was replaced with CONFIG_ESP_DEFAULT_CPU_FREQ_MHZ_240
```

```
C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:131 CONFIG_ESP32_DEFAULT_CPU_FREQ_MHZ was replaced with CONFIG_ESP_DEFAULT_CPU_FREQ_MHZ
```

```
C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:132 CONFIG_ESP32_SPIRAM_SUPPORT was replaced with CONFIG_SPIRAM
```

```
C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:140 CONFIG_ESP32_ULP_COPROC_ENABLED was replaced with CONFIG_ULP_COPROC_ENABLED
```

C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:141 CONFIG_ESP32_ULP_COPROC_RESERVE_MEM was replaced with CONFIG_ULP_COPROC_RESERVE_MEM

C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:142 CONFIG_ESP32_PANIC_PRINT_HALT was replaced with CONFIG_ESP_SYSTEM_PANIC_PRINT_HALT

C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:143 CONFIG_ESP32_PANIC_PRINT_REBOOT was replaced with CONFIG_ESP_SYSTEM_PANIC_PRINT_REBOOT

C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:144 CONFIG_ESP32_PANIC_SILENT_REBOOT was replaced with CONFIG_ESP_SYSTEM_PANIC_SILENT_REBOOT

C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:145 CONFIG_ESP32_PANIC_GDBSTUB was replaced with CONFIG_ESP_SYSTEM_PANIC_GDBSTUB

C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:146 CONFIG_ESP32_DEBUG_OCDAWARE was replaced with CONFIG_ESP_DEBUG_OCDAWARE

C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:147 CONFIG_ESP32_DEBUG_STUBS_ENABLE was replaced with CONFIG_ESP_DEBUG_STUBS_ENABLE

C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:148 CONFIG_ESP32_BROWNOUT_DET was replaced with CONFIG_ESP_BROWNOUT_DET

C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:149 CONFIG_ESP32_BROWNOUT_DET_LVL_SEL_0 was replaced with CONFIG_ESP_BROWNOUT_DET_LVL_SEL_0

C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:150 CONFIG_ESP32_BROWNOUT_DET_LVL_SEL_1 was replaced with CONFIG_ESP_BROWNOUT_DET_LVL_SEL_1

C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:151 CONFIG_ESP32_BROWNOUT_DET_LVL_SEL_2 was replaced with CONFIG_ESP_BROWNOUT_DET_LVL_SEL_2

C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:152 CONFIG_ESP32_BROWNOUT_DET_LVL_SEL_3 was replaced with CONFIG_ESP_BROWNOUT_DET_LVL_SEL_3

C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:153 CONFIG_ESP32_BROWNOUT_DET_LVL_SEL_4 was replaced with CONFIG_ESP_BROWNOUT_DET_LVL_SEL_4

C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:154 CONFIG_ESP32_BROWNOUT_DET_LVL_SEL_5 was replaced with CONFIG_ESP_BROWNOUT_DET_LVL_SEL_5

C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:155 CONFIG_ESP32_BROWNOUT_DET_LVL_SEL_6 was replaced with CONFIG_ESP_BROWNOUT_DET_LVL_SEL_6

C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:156 CONFIG_ESP32_BROWNOUT_DET_LVL_SEL_7 was replaced with CONFIG_ESP_BROWNOUT_DET_LVL_SEL_7

C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:157 CONFIG_ESP32_BROWNOUT_DET_LVL was replaced with CONFIG_ESP_BROWNOUT_DET_LVL

C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:158 CONFIG_ESP32_REDUCE_PHY_TX_POWER was replaced with CONFIG_ESP_PHY_REDUCE_TX_POWER

C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:159 CONFIG_ESP32_TIME_SYSCALL_USE_RTC_FRC1 was replaced with CONFIG_NEWLIB_TIME_SYSCALL_USE_RTC_HRT

C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:160 CONFIG_ESP32_TIME_SYSCALL_USE_RTC was replaced with CONFIG_NEWLIB_TIME_SYSCALL_USE_RTC

C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:161 CONFIG_ESP32_TIME_SYSCALL_USE_FRC1 was replaced with CONFIG_NEWLIB_TIME_SYSCALL_USE_HRT

C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:162 CONFIG_ESP32_TIME_SYSCALL_USE_NONE was replaced with CONFIG_NEWLIB_TIME_SYSCALL_USE_NONE

C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:163 CONFIG_ESP32_RTC_CLK_SRC_INT_RC was replaced with CONFIG_RTC_CLK_SRC_INT_RC

C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:164 CONFIG_ESP32_RTC_CLK_SRC_EXT_CRYST was replaced with CONFIG_RTC_CLK_SRC_EXT_CRYST

C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:165 CONFIG_ESP32_RTC_CLK_SRC_EXT_OSC was replaced with CONFIG_RTC_CLK_SRC_EXT_OSC

C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:166 CONFIG_ESP32_RTC_CLK_SRC_INT_8MD256 was replaced with CONFIG_RTC_CLK_SRC_INT_8MD256

C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:167 CONFIG_ESP32_RTC_CLK_CAL_CYCLES was replaced with CONFIG_RTC_CLK_CAL_CYCLES

C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:168 CONFIG_ESP32_RTC_XTAL_CAL_RETRY was replaced with CONFIG_RTC_XTAL_CAL_RETRY

C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:169 CONFIG_ESP32_DEEP_SLEEP_WAKEUP_DELAY was replaced with CONFIG_ESP_SLEEP_DEEP_SLEEP_WAKEUP_DELAY

C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:170 CONFIG_ESP32_XTAL_FREQ_40 was replaced with CONFIG_XTAL_FREQ_40

C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:171 CONFIG_ESP32_XTAL_FREQ_26 was replaced with CONFIG_XTAL_FREQ_26

C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:172 CONFIG_ESP32_XTAL_FREQ_AUTO was replaced with

```

CONFIG_XTAL_FREQ_AUTO
C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:173 CONFIG_ESP32_XTAL_FREQ was replaced with
CONFIG_XTAL_FREQ
C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:175 CONFIG_ESP32_NO_BLOBS was replaced with
CONFIG_APP_NO_BLOBS
C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:176
CONFIG_ESP32_COMPATIBLE_PRE_V2_1_BOOTLOADERS was replaced with
CONFIG_APP_COMPATIBLE_PRE_V2_1_BOOTLOADERS
C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:192 CONFIG_ESP_CONSOLE_UART_NONE was replaced with
CONFIG_ESP_CONSOLE_NONE
C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:224 CONFIG_OTA_ALLOW_HTTP was replaced with
CONFIG_ESP_HTTPS_OTA_ALLOW_HTTP
C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:246
CONFIG_ESP32_PHY_CALIBRATION_AND_DATA_STORAGE was replaced with
CONFIG_ESP_PHY_CALIBRATION_AND_DATA_STORAGE
C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:247 CONFIG_ESP32_PHY_INIT_DATA_IN_PARTITION was
replaced with CONFIG_ESP_PHY_INIT_DATA_IN_PARTITION
C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:248 CONFIG_ESP32_PHY_MAX_WIFI_TX_POWER was
replaced with CONFIG_ESP_PHY_MAX_WIFI_TX_POWER
C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:249 CONFIG_ESP32_PHY_MAX_TX_POWER was replaced with
CONFIG_ESP_PHY_MAX_TX_POWER
C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:250 CONFIG_ESP32_ENABLE_COREDUMP_TO_FLASH was
replaced with CONFIG_ESP_COREDUMP_ENABLE_TO_FLASH
C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:251 CONFIG_ESP32_ENABLE_COREDUMP_TO_UART was
replaced with CONFIG_ESP_COREDUMP_ENABLE_TO_UART
C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:252 CONFIG_ESP32_ENABLE_COREDUMP_TO_NONE was
replaced with CONFIG_ESP_COREDUMP_ENABLE_TO_NONE
C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:253 CONFIG_ESP32_ENABLE_COREDUMP was replaced with
CONFIG_ESP_COREDUMP_ENABLE
C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:526 CONFIG_SEMIHOSTFS_MAX_MOUNT_POINTS was
replaced with CONFIG_VFS_SEMIHOSTFS_MAX_MOUNT_POINTS
C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig:527 CONFIG_SEMIHOSTFS_HOST_PATH_MAX_LEN was
replaced with CONFIG_VFS_SEMIHOSTFS_HOST_PATH_MAX_LEN
-- Looking for sys/types.h
-- Looking for sys/types.h - found
-- Looking for stdint.h
-- Looking for stdint.h - found
-- Looking for stddef.h
-- Looking for stddef.h - found
-- Check size of time_t
.

-- Check size of time_t - done
-- Found Python3: C:/esp-idf-tools/python_env/idf5.0_py3.11_env/Scripts/python.exe (found version "3.11.1") found
components: Interpreter
-- Performing Test C_COMPILER_SUPPORTS_WFORMAT_SIGNEDNESS
-- Performing Test C_COMPILER_SUPPORTS_WFORMAT_SIGNEDNESS - Success
-- App "esp-project" version: 1
-- Adding linker script C:/Flowcodev9_Files/MoniEspTest/Test/build/esp-idf/esp_system/ld/memory.ld
-- Adding linker script C:/esp-idf/components/esp_system/ld/esp32/sections.ld.in
-- Adding linker script C:/esp-idf/components/esp_rom/esp32/ld/esp32.rom.ld
-- Adding linker script C:/esp-idf/components/esp_rom/esp32/ld/esp32.rom.api.ld
-- Adding linker script C:/esp-idf/components/esp_rom/esp32/ld/esp32.rom.libgcc.ld
-- Adding linker script C:/esp-idf/components/esp_rom/esp32/ld/esp32.rom.newlib-data.ld
-- Adding linker script C:/esp-idf/components/esp_rom/esp32/ld/esp32.rom.syscalls.ld
-- Adding linker script C:/esp-idf/components/esp_rom/esp32/ld/esp32.rom.newlib-funcs.ld
-- Adding linker script C:/esp-idf/components/soc/esp32/ld/esp32.peripherals.ld
-- Components: app_trace app_update bootloader bootloader_support bt cmock console cxx driver efuse esp-tls esp_adc
esp_app_format esp_common esp_eth esp_event esp_gdbstub esp_hid esp_http_client esp_http_server esp_https_ota
esp_https_server esp_hw_support esp_lcd esp_local_ctrl esp_netif esp_partition esp_phy esp_pm esp_psram
esp_ringbuf esp_rom esp_system esp_timer esp_wifi espcoredump esptool_py fatfs freertos hal heap http_parser
idf_test ieee802154 json log lwip main mbedtls mqtt newlib nvs_flash openthread partition table perfmon protobuf-c
protocomm pthread sdmmc soc spi_flash spiiffs tcp_transport ulp unity usb vfs wear_levelling wifi_provisioning

```

```

wpa_supplicant xtensa
-- Component paths: C:/esp-idf/components/app_trace C:/esp-idf/components/app_update C:/esp-
idf/components/bootloader C:/esp-idf/components/bootloader_support C:/esp-idf/components/bt C:/esp-
idf/components/cmock C:/esp-idf/components/console C:/esp-idf/components/cxx C:/esp-idf/components/driver C:/esp-
idf/components/efuse C:/esp-idf/components/esp-tls C:/esp-idf/components/esp_adc C:/esp-
idf/components/esp_app_format C:/esp-idf/components/esp_common C:/esp-idf/components/esp_eth C:/esp-
idf/components/esp_event C:/esp-idf/components/esp_gdbstub C:/esp-idf/components/esp_hid C:/esp-
idf/components/esp_http_client C:/esp-idf/components/esp_http_server C:/esp-idf/components/esp_https_ota C:/esp-
idf/components/esp_https_server C:/esp-idf/components/esp_hw_support C:/esp-idf/components/esp_lcd C:/esp-
idf/components/esp_local_ctrl C:/esp-idf/components/esp_netif C:/esp-idf/components/esp_partition C:/esp-
idf/components/esp_phy C:/esp-idf/components/esp_pm C:/esp-idf/components/esp_psram C:/esp-
idf/components/esp_ringbuf C:/esp-idf/components/esp_rom C:/esp-idf/components/esp_system C:/esp-
idf/components/esp_timer C:/esp-idf/components/esp_wifi C:/esp-idf/components/espcoredump C:/esp-
idf/components/esptool_py C:/esp-idf/components/fatfs C:/esp-idf/components/freertos C:/esp-idf/components/hal
C:/esp-idf/components/heap C:/esp-idf/components/http_parser C:/esp-idf/components/idf_test C:/esp-
idf/components/ieee802154 C:/esp-idf/components/json C:/esp-idf/components/log C:/esp-idf/components/lwip
C:/Flowcodev9_Files/MoniEspTest/Test/main C:/esp-idf/components/mbedtls C:/esp-idf/components/mqtt C:/esp-
idf/components/newlib C:/esp-idf/components/nvs_flash C:/esp-idf/components/openthread C:/esp-
idf/components/partition_table C:/esp-idf/components/perfmon C:/esp-idf/components/protobuf-c C:/esp-
idf/components/protocomm C:/esp-idf/components/pthread C:/esp-idf/components/sdmmc C:/esp-idf/components/soc
C:/esp-idf/components/spi_flash C:/esp-idf/components/spiffs C:/esp-idf/components/tcp_transport C:/esp-
idf/components/ulp C:/esp-idf/components/unity C:/esp-idf/components/usb C:/esp-idf/components/vfs C:/esp-
idf/components/wear_levelling C:/esp-idf/components/wifi_provisioning C:/esp-idf/components/wpa_supplicant
C:/esp-idf/components/xtensa
-- Configuring done
-- Generating done
-- Build files have been written to: C:/Flowcodev9_Files/MoniEspTest/Test/build
Running ninja in directory c:\flowcodev9_files\moniesptest\test\build
Executing "ninja all"...
[1/1142] Generating project_elf_src_esp32.c
[2/1142] Generating memory.ld linker script...
[3/1142] Generating ../partition_table/partition-table.bin
Partition table binary generated. Contents:
*****
# ESP-IDF Partition Table
# Name, Type, SubType, Offset, Size, Flags
nvs,data,nvs,0x9000,24K,
phy_init,data,phy,0xf000,4K,
factory,app,factory,0x10000,1M,
*****
[4/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/hkdf.c.obj
[5/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/camellia.c.obj
[6/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/chacha20.c.obj
[7/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/chachapoly.c.obj
[8/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/des.c.obj
[9/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/entropy_poll.c.obj
[10/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/entropy.c.obj
[11/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/hmac_drbg.c.obj
[12/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/aes.c.obj
[13/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/ccm.c.obj
[14/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/ecdh.c.obj
[15/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/cipher_wrap.c.obj
[16/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/asn1write.c.obj
[17/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/dhm.c.obj
[18/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/gcm.c.obj
[19/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/cmac.c.obj
[20/1142] Building C object esp-idf/esp_rom/CMakeFiles/_idf_esp_rom.dir/patches/esp_rom_sys.c.obj
[21/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/ecdsa.c.obj
[22/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/ecjpake.c.obj
[23/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/base64.c.obj
[24/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/error.c.obj
[25/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/cipher.c.obj
[26/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/constant_time.c.obj

```

[27/1142] Building C object esp-idf/esp_rom/CMakeFiles/___idf_esp_rom.dir/patches/esp_rom_crc.c.obj
[28/1142] Building C object esp-idf/mbedtls/library/CMakeFiles/mbedtls.dir/ctr_drbg.c.obj
[29/1142] Building ASM object esp-idf/esp_rom/CMakeFiles/___idf_esp_rom.dir/patches/esp_rom_longimp.S.obj
[30/1142] Building C object esp-idf/esp_rom/CMakeFiles/___idf_esp_rom.dir/patches/esp_rom_efuse.c.obj
[31/1142] Building C object esp-idf/esp_rom/CMakeFiles/___idf_esp_rom.dir/patches/esp_rom_uart.c.obj
[32/1142] Building C object esp-idf/esp_rom/CMakeFiles/___idf_esp_rom.dir/patches/esp_rom_regi2c.c.obj
[33/1142] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/timer_hal.c.obj
[34/1142] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/timer_hal_iram.c.obj
[35/1142] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/wdt_hal_iram.c.obj
[36/1142] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/mpu_hal.c.obj
[37/1142] Building C object esp-idf/mbedtls/library/CMakeFiles/mbedtls.dir/bignum.c.obj
[38/1142] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/efuse_hal.c.obj
[39/1142] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/mmu_hal.c.obj
[40/1142] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/esp32/efuse_hal.c.obj
[41/1142] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/ledc_hal.c.obj
[42/1142] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/rtc_io_hal.c.obj
[43/1142] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/spi_slave_hal.c.obj
[44/1142] Building C object esp-idf/esp_rom/CMakeFiles/___idf_esp_rom.dir/patches/esp_rom_spiflash.c.obj
[45/1142] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/spi_hal.c.obj
[46/1142] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/spi_slave_hal_iram.c.obj
[47/1142] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/spi_hal_iram.c.obj
[48/1142] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/uart_hal.c.obj
[49/1142] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/gpio_hal.c.obj
[50/1142] Building C object esp-idf/mbedtls/library/CMakeFiles/mbedtls.dir/ssl_tls.c.obj
[51/1142] Building C object esp-idf/mbedtls/library/CMakeFiles/mbedtls.dir/ecp.c.obj
[52/1142] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/i2c_hal_iram.c.obj
[53/1142] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/ledc_hal_iram.c.obj
[54/1142] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/uart_hal_iram.c.obj
[55/1142] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/adc_hal_common.c.obj
[56/1142] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/spi_flash_encrypt_hal_iram.c.obj
[57/1142] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/sha_hal.c.obj
[58/1142] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/twai_hal.c.obj
[59/1142] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/i2c_hal.c.obj
[60/1142] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/spi_flash_hal.c.obj
[61/1142] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/sdm_hal.c.obj
[62/1142] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/rmt_hal.c.obj
[63/1142] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/spi_flash_hal_iram.c.obj
[64/1142] Building C object esp-idf/mbedtls/library/CMakeFiles/mbedtls.dir/ecp_curves.c.obj
[65/1142] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/dac_hal.c.obj
[66/1142] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/twai_hal_iram.c.obj
[67/1142] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/pent_hal.c.obj
[68/1142] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/mcpwm_hal.c.obj
[69/1142] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/adc_oneshot_hal.c.obj
[70/1142] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/adc_hal.c.obj
[71/1142] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/esp32/brownout_hal.c.obj
[72/1142] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/i2s_hal.c.obj
[73/1142] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/esp32/gpio_hal_workaround.c.obj
[74/1142] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/esp32/touch_sensor_hal.c.obj
[75/1142] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/aes_hal.c.obj
[76/1142] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/touch_sensor_hal.c.obj
[77/1142] Building C object esp-idf/log/CMakeFiles/___idf_log.dir/log.c.obj
[78/1142] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/sdio_slave_hal.c.obj
[79/1142] Building C object esp-idf/log/CMakeFiles/___idf_log.dir/log_buffers.c.obj
[80/1142] Building C object esp-idf/heap/CMakeFiles/___idf_heap.dir/port/memory_layout_utils.c.obj
[81/1142] Building C object esp-idf/soc/CMakeFiles/___idf_soc.dir/dport_access_common.c.obj
[82/1142] Building C object esp-idf/soc/CMakeFiles/___idf_soc.dir/lldesc.c.obj
[83/1142] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/amac_hal.c.obj
[84/1142] Building C object esp-idf/soc/CMakeFiles/___idf_soc.dir/esp32/dport_access.c.obj
[85/1142] Building C object esp-idf/soc/CMakeFiles/___idf_soc.dir/esp32/adc_periph.c.obj
[86/1142] Building C object esp-idf/soc/CMakeFiles/___idf_soc.dir/esp32/dac_periph.c.obj
[87/1142] Building C object esp-idf/soc/CMakeFiles/___idf_soc.dir/esp32/lcd_periph.c.obj
[88/1142] Building C object esp-idf/heap/CMakeFiles/___idf_heap.dir/port/esp32/memory_layout.c.obj
[89/1142] Building C object esp-idf/soc/CMakeFiles/___idf_soc.dir/esp32/sdm_periph.c.obj

[90/1142] Building C object esp-idf/soc/CMakeFiles/_idf_soc.dir/esp32/gpio_periph.c.obj
[91/1142] Building C object esp-idf/log/CMakeFiles/_idf_log.dir/log_freertos.c.obj
[92/1142] Building C object esp-idf/soc/CMakeFiles/_idf_soc.dir/esp32/i2s_periph.c.obj
[93/1142] Building C object esp-idf/soc/CMakeFiles/_idf_soc.dir/esp32/interrupts.c.obj
[94/1142] Building C object esp-idf/soc/CMakeFiles/_idf_soc.dir/esp32/ledc_periph.c.obj
[95/1142] Building C object esp-idf/soc/CMakeFiles/_idf_soc.dir/esp32/i2c_periph.c.obj
[96/1142] Building C object esp-idf/heap/CMakeFiles/_idf_heap.dir/heap_caps_init.c.obj
[97/1142] Building C object esp-idf/heap/CMakeFiles/_idf_heap.dir/multi_heap.c.obj
[98/1142] Building C object esp-idf/soc/CMakeFiles/_idf_soc.dir/esp32/sdmmc_periph.c.obj
[99/1142] Building C object esp-idf/soc/CMakeFiles/_idf_soc.dir/esp32/rtc_io_periph.c.obj
[100/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/aesni.c.obj
[101/1142] Building C object esp-idf/soc/CMakeFiles/_idf_soc.dir/esp32/rmt_periph.c.obj
[102/1142] Building C object esp-idf/heap/CMakeFiles/_idf_heap.dir/heap_caps.c.obj
[103/1142] Building C object esp-idf/soc/CMakeFiles/_idf_soc.dir/esp32/timer_periph.c.obj
[104/1142] Building C object esp-idf/soc/CMakeFiles/_idf_soc.dir/esp32/spi_periph.c.obj
[105/1142] Building C object esp-idf/soc/CMakeFiles/_idf_soc.dir/esp32/sdio_slave_periph.c.obj
[106/1142] Building C object esp-idf/soc/CMakeFiles/_idf_soc.dir/esp32/touch_sensor_periph.c.obj
[107/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/asn1parse.c.obj
[108/1142] Building C object esp-idf/soc/CMakeFiles/_idf_soc.dir/esp32/uart_periph.c.obj
[109/1142] Building C object esp-idf/heap/CMakeFiles/_idf_heap.dir/tlsf/tlsf.c.obj
[110/1142] Building C object esp-idf/esp_hw_support/CMakeFiles/_idf_esp_hw_support.dir/esp_memory_utils.c.obj
[111/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/aria.c.obj
[112/1142] Building C object esp-idf/esp_hw_support/CMakeFiles/_idf_esp_hw_support.dir/cpu.c.obj
[113/1142] Building C object esp-idf/esp_hw_support/CMakeFiles/_idf_esp_hw_support.dir/hw_random.c.obj
[114/1142] Building C object esp-idf/esp_hw_support/CMakeFiles/_idf_esp_hw_support.dir/sleep_mac_bb.c.obj
[115/1142] Building C object esp-idf/esp_hw_support/CMakeFiles/_idf_esp_hw_support.dir/mac_addr.c.obj
[116/1142] Building C object esp-idf/esp_hw_support/CMakeFiles/_idf_esp_hw_support.dir/port/esp32/rtc_pm.c.obj
[117/1142] Building C object esp-idf/esp_hw_support/CMakeFiles/_idf_esp_hw_support.dir/rtc_module.c.obj
[118/1142] Building C object esp-idf/esp_hw_support/CMakeFiles/_idf_esp_hw_support.dir/esp_clk.c.obj
[119/1142] Building C object esp-idf/esp_hw_support/CMakeFiles/_idf_esp_hw_support.dir/periph_ctrl.c.obj
[120/1142] Building C object esp-idf/esp_hw_support/CMakeFiles/_idf_esp_hw_support.dir/rtc_wdt.c.obj
[121/1142] Building C object esp-idf/esp_hw_support/CMakeFiles/_idf_esp_hw_support.dir/clk_ctrl_os.c.obj
[122/1142] Building C object esp-idf/esp_hw_support/CMakeFiles/_idf_esp_hw_support.dir/port/esp32/cache_sram_mmu.c.obj
[123/1142] Building CXX object esp-idf/cxx/CMakeFiles/_idf_cxx.dir/cxx_exception_stubs.cpp.obj
[124/1142] Building C object esp-idf/esp_hw_support/CMakeFiles/_idf_esp_hw_support.dir/port/esp32/rtc_init.c.obj
[125/1142] Building C object esp-idf/esp_hw_support/CMakeFiles/_idf_esp_hw_support.dir/regi2c_ctrl.c.obj
[126/1142] Building C object esp-idf/esp_hw_support/CMakeFiles/_idf_esp_hw_support.dir/sleep_gpio.c.obj
[127/1142] Building C object esp-idf/esp_hw_support/CMakeFiles/_idf_esp_hw_support.dir/adc_share_hw_ctrl.c.obj
[128/1142] Building C object esp-idf/esp_hw_support/CMakeFiles/_idf_esp_hw_support.dir/port/esp32/rtc_sleep.c.obj
[129/1142] Building ASM object esp-idf/freertos/CMakeFiles/_idf_freertos.dir/FreeRTOS-Kernel/portable/xtensa/xtensa_context.S.obj
[130/1142] Building C object esp-idf/esp_hw_support/CMakeFiles/_idf_esp_hw_support.dir/port/esp32/rtc_time.c.obj
[131/1142] Building C object esp-idf/esp_hw_support/CMakeFiles/_idf_esp_hw_support.dir/intr_alloc.c.obj
[132/1142] Building C object esp-idf/esp_hw_support/CMakeFiles/_idf_esp_hw_support.dir/port/esp32/chip_info.c.obj
[133/1142] Building ASM object esp-idf/freertos/CMakeFiles/_idf_freertos.dir/FreeRTOS-Kernel/portable/xtensa/portasm.S.obj
[134/1142] Building C object esp-idf/esp_hw_support/CMakeFiles/_idf_esp_hw_support.dir/port/esp32/rtc_clk_init.c.obj
[135/1142] Building ASM object esp-idf/freertos/CMakeFiles/_idf_freertos.dir/FreeRTOS-Kernel/portable/xtensa/xtensa_vectors.S.obj
[136/1142] Building ASM object esp-idf/freertos/CMakeFiles/_idf_freertos.dir/FreeRTOS-Kernel/portable/xtensa/xtensa_vector_defaults.S.obj
[137/1142] Building C object esp-idf/freertos/CMakeFiles/_idf_freertos.dir/FreeRTOS-Kernel/portable/xtensa/xtensa_init.c.obj
[138/1142] Building C object esp-idf/esp_hw_support/CMakeFiles/_idf_esp_hw_support.dir/port/esp32/rtc_clk.c.obj
[139/1142] Building C object esp-idf/esp_hw_support/CMakeFiles/_idf_esp_hw_support.dir/sleep_modes.c.obj
[140/1142] Building C object esp-idf/newlib/CMakeFiles/_idf_newlib.dir/abort.c.obj
[141/1142] Building C object esp-idf/freertos/CMakeFiles/_idf_freertos.dir/FreeRTOS-Kernel/portable/xtensa/xtensa_overlay_os_hook.c.obj
[142/1142] Building C object esp-idf/newlib/CMakeFiles/_idf_newlib.dir/assert.c.obj

[143/1142] Building C object esp-idf/freertos/CMakeFiles/___idf_freertos.dir/FreeRTOS-Kernel/croutine.c.obj
[144/1142] Building C object esp-idf/newlib/CMakeFiles/___idf_newlib.dir/heap.c.obj
[145/1142] Building C object esp-idf/freertos/CMakeFiles/___idf_freertos.dir/FreeRTOS-Kernel/list.c.obj
[146/1142] Building C object esp-idf/freertos/CMakeFiles/___idf_freertos.dir/FreeRTOS-openocd.c.obj
[147/1142] Building C object esp-idf/freertos/CMakeFiles/___idf_freertos.dir/FreeRTOS-Kernel/portable/xtensa/port.c.obj
[148/1142] Building C object esp-idf/freertos/CMakeFiles/___idf_freertos.dir/esp_additions/freertos_v8_compat.c.obj
[149/1142] Building C object esp-idf/freertos/CMakeFiles/___idf_freertos.dir/FreeRTOS-Kernel/portable/port_common.c.obj
[150/1142] Building C object esp-idf/newlib/CMakeFiles/___idf_newlib.dir/random.c.obj
[151/1142] Building C object esp-idf/freertos/CMakeFiles/___idf_freertos.dir/FreeRTOS-Kernel/event_groups.c.obj
[152/1142] Building C object esp-idf/freertos/CMakeFiles/___idf_freertos.dir/FreeRTOS-Kernel/portable/port_systick.c.obj
[153/1142] Building C object esp-idf/newlib/CMakeFiles/___idf_newlib.dir/poll.c.obj
[154/1142] Building C object esp-idf/freertos/CMakeFiles/___idf_freertos.dir/FreeRTOS-Kernel/timers.c.obj
[155/1142] Building C object esp-idf/newlib/CMakeFiles/___idf_newlib.dir/reent_init.c.obj
[156/1142] Building C object esp-idf/newlib/CMakeFiles/___idf_newlib.dir/pthread.c.obj
[157/1142] Building C object esp-idf/freertos/CMakeFiles/___idf_freertos.dir/FreeRTOS-Kernel/stream_buffer.c.obj
[158/1142] Building C object esp-idf/freertos/CMakeFiles/___idf_freertos.dir/FreeRTOS-Kernel/queue.c.obj
[159/1142] Building C object esp-idf/newlib/CMakeFiles/___idf_newlib.dir/locks.c.obj
[160/1142] Building C object esp-idf/newlib/CMakeFiles/___idf_newlib.dir/termios.c.obj
[161/1142] Building C object esp-idf/newlib/CMakeFiles/___idf_newlib.dir/sysconf.c.obj
[162/1142] Building C object esp-idf/newlib/CMakeFiles/___idf_newlib.dir/realpath.c.obj
[163/1142] Building C object esp-idf/newlib/CMakeFiles/___idf_newlib.dir/newlib_init.c.obj
[164/1142] Building C object esp-idf/newlib/CMakeFiles/___idf_newlib.dir/syscalls.c.obj
[165/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedtls.dir/memory_buffer_alloc.c.obj
[166/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedtls.dir/nist_kw.c.obj
[167/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedtls.dir/mps_reader.c.obj
[168/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedtls.dir/mps_trace.c.obj
[169/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedtls.dir/md5.c.obj
[170/1142] Building C object esp-idf/newlib/CMakeFiles/___idf_newlib.dir/time.c.obj
[171/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedtls.dir/padlock.c.obj
[172/1142] Building C object esp-idf/newlib/CMakeFiles/___idf_newlib.dir/port/esp_time_impl.c.obj
[173/1142] Building C object esp-idf/newlib/CMakeFiles/___idf_newlib.dir/stdatomic.c.obj
[174/1142] Building C object esp-idf/freertos/CMakeFiles/___idf_freertos.dir/FreeRTOS-Kernel/tasks.c.obj
[175/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedtls.dir/oid.c.obj
[176/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedtls.dir/pem.c.obj
[177/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedtls.dir/platform.c.obj
[178/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedtls.dir/md.c.obj
[179/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedtls.dir/pk.c.obj
[180/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedtls.dir/pkcs5.c.obj
[181/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedtls.dir/pkcs12.c.obj
[182/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedtls.dir/poly1305.c.obj
[183/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedtls.dir/pkwrite.c.obj
[184/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedtls.dir/psa_crypto_se.c.obj
[185/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedtls.dir/pk_wrap.c.obj
[186/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedtls.dir/platform_util.c.obj
[187/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedtls.dir/pkparse.c.obj
[188/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedtls.dir/psa_crypto_client.c.obj
[189/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedtls.dir/psa_crypto_aead.c.obj
[190/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedtls.dir/psa_crypto_cipher.c.obj
[191/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedtls.dir/psa_crypto_mac.c.obj
[192/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedtls.dir/ripemd160.c.obj
[193/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedtls.dir/psa_its_file.c.obj
[194/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedtls.dir/sha1.c.obj
[195/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedtls.dir/ssl_debug_helpers_generated.c.obj
[196/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedtls.dir/psa_crypto_ecp.c.obj
[197/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedtls.dir/psa_crypto_driver_wrappers.c.obj
[198/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedtls.dir/sha256.c.obj
[199/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedtls.dir/psa_crypto_hash.c.obj
[200/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedtls.dir/psa_crypto_rsa.c.obj

[201/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/sha512.c.obj
[202/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/version_features.c.obj
[203/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/psa_crypto_storage.c.obj
[204/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/C_/esp-idf/components/mbedtls/port/esp_hardware.c.obj
[205/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/threading.c.obj
[206/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/version.c.obj
[207/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/psa_crypto_slot_management.c.obj
[208/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/rsa_alt_helpers.c.obj
[209/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/timing.c.obj
[210/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/C_/esp-idf/components/mbedtls/port/esp_mem.c.obj
[211/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/C_/esp-idf/components/mbedtls/port/esp_timing.c.obj
[212/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/C_/esp-idf/components/mbedtls/port/aes/esp_aes_common.c.obj
[213/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/C_/esp-idf/components/mbedtls/port/sha/esp_sha.c.obj
[214/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/rsa.c.obj
[215/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/C_/esp-idf/components/mbedtls/port/md/esp_md.c.obj
[216/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/C_/esp-idf/components/mbedtls/port/aes/esp_aes_xts.c.obj
[217/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedtls.dir/debug.c.obj
[218/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedx509.dir/x509_crl.c.obj
[219/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/C_/esp-idf/components/mbedtls/port/sha/parallel_engine/esp_sha256.c.obj
[220/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedtls.dir/ssl_cache.c.obj
[221/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedx509.dir/x509_create.c.obj
[222/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/psa_crypto.c.obj
[223/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedx509.dir/x509write_csr.c.obj
[224/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/C_/esp-idf/components/mbedtls/port/aes/block/esp_aes.c.obj
[225/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/C_/esp-idf/components/mbedtls/port/sha/parallel_engine/esp_sha1.c.obj
[226/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/C_/esp-idf/components/mbedtls/port/sha/parallel_engine/sha.c.obj
[227/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedx509.dir/x509.c.obj
[228/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedcrypto.dir/C_/esp-idf/components/mbedtls/port/sha/parallel_engine/esp_sha512.c.obj
[229/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedx509.dir/x509_csr.c.obj
[230/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedx509.dir/x509write_crt.c.obj
[231/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedtls.dir/ssl_tls13_server.c.obj
[232/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedtls.dir/ssl_tls13_client.c.obj
[233/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedtls.dir/ssl_ticket.c.obj
[234/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedtls.dir/ssl_ciphersuites.c.obj
[235/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedx509.dir/x509_crt.c.obj
[236/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedtls.dir/ssl_client.c.obj
[237/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedtls.dir/ssl_cookie.c.obj
[238/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedtls.dir/ssl_tls13_generic.c.obj
[239/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedtls.dir/ssl_tls13_keys.c.obj
[240/1142] Building C object esp-idf/esp_app_format/CMakeFiles/_idf_esp_app_format.dir/esp_app_desc.c.obj
[241/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedtls.dir/ssl_msg.c.obj
[242/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedtls.dir/C_/esp-idf/components/mbedtls/port/mbedtls_debug.c.obj
[243/1142] Building C object esp-idf/bootloader_support/CMakeFiles/_idf_bootloader_support.dir/src/bootloader_mem.c.obj
[244/1142] Building C object esp-idf/mbedtls/mbedtls/library/CMakeFiles/mbedtls.dir/ssl_tls12_client.c.obj
[245/1142] Creating directories for 'bootloader'
[246/1142] Building C object esp-idf/bootloader_support/CMakeFiles/_idf_bootloader_support.dir/src/bootloader_random.c.obj
[247/1142] Building C object esp-

idf/bootloader_support/CMakeFiles/___idf_bootloader_support.dir/src/bootloader_random_esp32.c.obj
[248/1142] Building C object esp-idf/bootloader_support/CMakeFiles/___idf_bootloader_support.dir/src/bootloader_clock_init.c.obj
[249/1142] No download step for 'bootloader'
[250/1142] Building C object esp-idf/bootloader_support/CMakeFiles/___idf_bootloader_support.dir/bootloader_flash/src/bootloader_flash.c.obj
[251/1142] Building C object esp-idf/bootloader_support/CMakeFiles/___idf_bootloader_support.dir/src/flash_encrypt.c.obj
[252/1142] Building C object esp-idf/soc/CMakeFiles/___idf_soc.dir/esp32/pcnt_periph.c.obj
[253/1142] Building C object esp-idf/soc/CMakeFiles/___idf_soc.dir/esp32/mcpwm_periph.c.obj
[254/1142] Building C object esp-idf/bootloader_support/CMakeFiles/___idf_bootloader_support.dir/src/bootloader_common.c.obj
[255/1142] Building C object esp-idf/mbdts/mbdts/library/CMakeFiles/mbdts.dir/ssl_tls12_server.c.obj
[256/1142] Building C object esp-idf/bootloader_support/CMakeFiles/___idf_bootloader_support.dir/src/bootloader_common_loader.c.obj
[257/1142] No update step for 'bootloader'
[258/1142] Building C object esp-idf/bootloader_support/CMakeFiles/___idf_bootloader_support.dir/src/flash_partitions.c.obj
[259/1142] Building C object esp-idf/bootloader_support/CMakeFiles/___idf_bootloader_support.dir/bootloader_flash/src/flash_qio_mode.c.obj
[260/1142] Building C object esp-idf/bootloader_support/CMakeFiles/___idf_bootloader_support.dir/src/bootloader_efuse.c.obj
[261/1142] Building C object esp-idf/spi_flash/CMakeFiles/___idf_spi_flash.dir/flash_brownout_hook.c.obj
[262/1142] Building C object esp-idf/bootloader_support/CMakeFiles/___idf_bootloader_support.dir/src/idf/bootloader_sha.c.obj
[263/1142] Building C object esp-idf/bootloader_support/CMakeFiles/___idf_bootloader_support.dir/src/secure_boot.c.obj
[264/1142] No patch step for 'bootloader'
[265/1142] Building C object esp-idf/mbdts/mbdts/library/CMakeFiles/mbdts.dir/C_/esp-idf/components/mbdts/port/net_sockets.c.obj
[266/1142] Building C object esp-idf/bootloader_support/CMakeFiles/___idf_bootloader_support.dir/bootloader_flash/src/bootloader_flash_config_esp32.c.obj
[267/1142] Building C object esp-idf/app_update/CMakeFiles/___idf_app_update.dir/esp_ota_app_desc.c.obj
[268/1142] Building C object esp-idf/bootloader_support/CMakeFiles/___idf_bootloader_support.dir/src/esp_image_format.c.obj
[269/1142] Building C object esp-idf/esp_partition/CMakeFiles/___idf_esp_partition.dir/partition_target.c.obj
[270/1142] Building C object esp-idf/spi_flash/CMakeFiles/___idf_spi_flash.dir/spi_flash_chip_gd.c.obj
[271/1142] Building C object esp-idf/spi_flash/CMakeFiles/___idf_spi_flash.dir/spi_flash_chip_winbond.c.obj
[272/1142] Building C object esp-idf/esp_partition/CMakeFiles/___idf_esp_partition.dir/partition.c.obj
[273/1142] Building C object esp-idf/spi_flash/CMakeFiles/___idf_spi_flash.dir/spi_flash_chip_drivers.c.obj
[274/1142] Building C object esp-idf/spi_flash/CMakeFiles/___idf_spi_flash.dir/esp32/flash_ops_esp32.c.obj
[275/1142] Building C object esp-idf/spi_flash/CMakeFiles/___idf_spi_flash.dir/spi_flash_chip_issi.c.obj
[276/1142] Building C object esp-idf/spi_flash/CMakeFiles/___idf_spi_flash.dir/spi_flash_chip_mxic.c.obj
[277/1142] Building C object esp-idf/spi_flash/CMakeFiles/___idf_spi_flash.dir/spi_flash_chip_th.c.obj
[278/1142] Building C object esp-idf/spi_flash/CMakeFiles/___idf_spi_flash.dir/memspi_host_driver.c.obj
[279/1142] Building C object esp-idf/spi_flash/CMakeFiles/___idf_spi_flash.dir/spi_flash_chip_boya.c.obj
[280/1142] Building C object esp-idf/spi_flash/CMakeFiles/___idf_spi_flash.dir/spi_flash_chip_generic.c.obj
[281/1142] Building C object esp-idf/app_update/CMakeFiles/___idf_app_update.dir/esp_ota_ops.c.obj
[282/1142] Building C object esp-idf/spi_flash/CMakeFiles/___idf_spi_flash.dir/spi_flash_os_func_noos.c.obj
[283/1142] Building C object esp-idf/bootloader_support/CMakeFiles/___idf_bootloader_support.dir/src/bootloader_utility.c.obj
[284/1142] Building C object esp-idf/spi_flash/CMakeFiles/___idf_spi_flash.dir/spi_flash_chip_mxic_opi.c.obj
[285/1142] Building C object esp-idf/spi_flash/CMakeFiles/___idf_spi_flash.dir/cache_utils.c.obj
[286/1142] Building C object esp-idf/spi_flash/CMakeFiles/___idf_spi_flash.dir/spi_flash_os_func_app.c.obj
[287/1142] Building C object esp-idf/spi_flash/CMakeFiles/___idf_spi_flash.dir/flash_mmap.c.obj
[288/1142] Building C object esp-idf/spi_flash/CMakeFiles/___idf_spi_flash.dir/esp_flash_spi_init.c.obj
[289/1142] Building C object esp-idf/pthread/CMakeFiles/___idf_pthread.dir/pthread_local_storage.c.obj
[290/1142] Building C object esp-idf/esp_system/CMakeFiles/___idf_esp_system.dir/esp_err.c.obj
[291/1142] Building C object esp-idf/esp_system/CMakeFiles/___idf_esp_system.dir/freertos_hooks.c.obj
[292/1142] Building C object esp-idf/esp_system/CMakeFiles/___idf_esp_system.dir/crosscore_int.c.obj
[293/1142] Building C object esp-idf/esp_system/CMakeFiles/___idf_esp_system.dir/esp_ipc.c.obj
[294/1142] Building C object esp-idf/esp_system/CMakeFiles/___idf_esp_system.dir/stack_check.c.obj

[295/1142] Building C object esp-idf/spi_flash/CMakeFiles/___idf_spi_flash.dir/flash_ops.c.obj
[296/1142] Building C object esp-idf/pthread/CMakeFiles/___idf_pthread.dir/pthread_rwlock.c.obj
[297/1142] Building C object esp-idf/spi_flash/CMakeFiles/___idf_spi_flash.dir/esp_flash_api.c.obj
[298/1142] Building C object esp-idf/pthread/CMakeFiles/___idf_pthread.dir/pthread_cond_var.c.obj
[299/1142] Building C object esp-idf/esp_system/CMakeFiles/___idf_esp_system.dir/esp_system.c.obj
[300/1142] Building C object esp-idf/esp_system/CMakeFiles/___idf_esp_system.dir/int_wdt.c.obj
[301/1142] Building C object esp-idf/esp_system/CMakeFiles/___idf_esp_system.dir/panic.c.obj
[302/1142] Building C object esp-idf/pthread/CMakeFiles/___idf_pthread.dir/pthread.c.obj
[303/1142] Building C object esp-idf/esp_system/CMakeFiles/___idf_esp_system.dir/system_time.c.obj
[304/1142] Building C object esp-idf/esp_system/CMakeFiles/___idf_esp_system.dir/debug_stubs.c.obj
[305/1142] Building C object esp-idf/esp_system/CMakeFiles/___idf_esp_system.dir/xt_wdt.c.obj
[306/1142] Building ASM object esp-idf/esp_system/CMakeFiles/___idf_esp_system.dir/port/soc/esp32/highint_hdl.S.obj
[307/1142] Building C object esp-idf/esp_system/CMakeFiles/___idf_esp_system.dir/ubsan.c.obj
[308/1142] Building ASM object esp-idf/esp_system/CMakeFiles/___idf_esp_system.dir/port/arch/xtensa/debug_helpers_asm.S.obj
[309/1142] Building ASM object esp-idf/esp_system/CMakeFiles/___idf_esp_system.dir/port/arch/xtensa/panic_handler_asm.S.obj
[310/1142] Building ASM object esp-idf/esp_system/CMakeFiles/___idf_esp_system.dir/port/arch/xtensa/expression_with_stack_asm.S.obj
[311/1142] Building C object esp-idf/esp_system/CMakeFiles/___idf_esp_system.dir/port/arch/xtensa/debug_stubs.c.obj
[312/1142] Building ASM object esp-idf/esp_system/CMakeFiles/___idf_esp_system.dir/port/arch/xtensa/esp_ipc_isr_routines.S.obj
[313/1142] Building C object esp-idf/esp_system/CMakeFiles/___idf_esp_system.dir/port/soc/esp32/reset_reason.c.obj
[314/1142] Building ASM object esp-idf/esp_system/CMakeFiles/___idf_esp_system.dir/port/arch/xtensa/esp_ipc_isr_handler.S.obj
[315/1142] Building C object esp-idf/esp_system/CMakeFiles/___idf_esp_system.dir/port/panic_handler.c.obj
[316/1142] Building C object esp-idf/esp_system/CMakeFiles/___idf_esp_system.dir/port/arch/xtensa/trax.c.obj
[317/1142] Building C object esp-idf/esp_system/CMakeFiles/___idf_esp_system.dir/startup.c.obj
[318/1142] Building C object esp-idf/esp_system/CMakeFiles/___idf_esp_system.dir/port/soc/esp32/cache_err_int.c.obj
[319/1142] Building C object esp-idf/esp_system/CMakeFiles/___idf_esp_system.dir/port/arch/xtensa/panic_arch.c.obj
[320/1142] Building C object esp-idf/esp_system/CMakeFiles/___idf_esp_system.dir/port/cpu_start.c.obj
[321/1142] Building C object esp-idf/esp_system/CMakeFiles/___idf_esp_system.dir/task_wdt.c.obj
[322/1142] Building C object esp-idf/esp_system/CMakeFiles/___idf_esp_system.dir/port/arch/xtensa/expression_with_stack.c.obj
[323/1142] Building C object esp-idf/esp_system/CMakeFiles/___idf_esp_system.dir/port/soc/esp32/clock.c.obj
[324/1142] Building C object esp-idf/esp_system/CMakeFiles/___idf_esp_system.dir/port/brownout.c.obj
[325/1142] Building C object esp-idf/esp_system/CMakeFiles/___idf_esp_system.dir/port/arch/xtensa/debug_helpers.c.obj
[326/1142] Building C object esp-idf/esp_system/CMakeFiles/___idf_esp_system.dir/port/soc/esp32/system_internal.c.obj
[327/1142] Building C object esp-idf/esp_system/CMakeFiles/___idf_esp_system.dir/port/arch/xtensa/esp_ipc_isr.c.obj
[328/1142] Building C object esp-idf/esp_timer/CMakeFiles/___idf_esp_timer.dir/src/system_time.c.obj
[329/1142] Building C object esp-idf/esp_timer/CMakeFiles/___idf_esp_timer.dir/src/ets_timer_legacy.c.obj
[330/1142] Building C object esp-idf/esp_timer/CMakeFiles/___idf_esp_timer.dir/src/esp_timer.c.obj
[331/1142] Building C object esp-idf/esp_event/CMakeFiles/___idf_esp_event.dir/default_event_loop.c.obj
[332/1142] Building C object esp-idf/esp_event/CMakeFiles/___idf_esp_event.dir/esp_event_private.c.obj
[333/1142] Building C object esp-idf/esp_timer/CMakeFiles/___idf_esp_timer.dir/src/esp_timer_impl_lac.c.obj
[334/1142] Building C object esp-idf/esp_phy/CMakeFiles/___idf_esp_phy.dir/src/lib_printf.c.obj
[335/1142] Building C object esp-idf/esp_event/CMakeFiles/___idf_esp_event.dir/esp_event.c.obj
[336/1142] Building C object esp-idf/esp_common/CMakeFiles/___idf_esp_common.dir/src/esp_err_to_name.c.obj
[337/1142] Building C object esp-idf/esp_phy/CMakeFiles/___idf_esp_phy.dir/src/phy_override.c.obj
[338/1142] Building CXX object esp-idf/nvs_flash/CMakeFiles/___idf_nvs_flash.dir/src/nvs_partition_lookup.cpp.obj
[339/1142] Building CXX object esp-idf/nvs_flash/CMakeFiles/___idf_nvs_flash.dir/src/nvs_partition.cpp.obj
.
[340/1142] Building C object esp-idf/esp_phy/CMakeFiles/___idf_esp_phy.dir/src/phy_init.c.obj
[341/1142] Building C object esp-idf/vfs/CMakeFiles/___idf_vfs.dir/vfs_eventfd.c.obj
[342/1142] Building C object esp-idf/vfs/CMakeFiles/___idf_vfs.dir/vfs_console.c.obj
[343/1142] Building C object esp-idf/vfs/CMakeFiles/___idf_vfs.dir/vfs_uart.c.obj
[344/1142] Building C object esp-idf/vfs/CMakeFiles/___idf_vfs.dir/vfs_semihost.c.obj
[345/1142] Building C object esp-idf/vfs/CMakeFiles/___idf_vfs.dir/vfs.c.obj
[346/1142] Building CXX object esp-idf/cxx/CMakeFiles/___idf_cxx.dir/cxx_guards.cpp.obj

[347/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/apps/sntp/sntp.c.obj
[348/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/api/api_msg.c.obj
[349/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/api/err.c.obj
[350/1142] Building CXX object esp-idf/nvs_flash/CMakeFiles/_idf_nvs_flash.dir/src/nvs_item_hash_list.cpp.obj
[351/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/api/netbuf.c.obj
[352/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/api/api_lib.c.obj
[353/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/api/netdb.c.obj
[354/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/api/if_api.c.obj
[355/1142] Building CXX object esp-idf/nvs_flash/CMakeFiles/_idf_nvs_flash.dir/src/nvs_pagemanager.cpp.obj
[356/1142] Building CXX object esp-idf/nvs_flash/CMakeFiles/_idf_nvs_flash.dir/src/nvs_page.cpp.obj
[357/1142] Building CXX object esp-idf/nvs_flash/CMakeFiles/_idf_nvs_flash.dir/src/nvs_types.cpp.obj
[358/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/api/netifapi.c.obj
[359/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/apps/netbiosns/netbiosns.c.obj
[360/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/api/tcpip.c.obj
[361/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/core/inet_chksum.c.obj
[362/1142] Building CXX object esp-idf/nvs_flash/CMakeFiles/_idf_nvs_flash.dir/src/nvs_handle_locked.cpp.obj
[363/1142] Building CXX object esp-idf/nvs_flash/CMakeFiles/_idf_nvs_flash.dir/src/nvs_handle_simple.cpp.obj
[364/1142] Building CXX object esp-idf/nvs_flash/CMakeFiles/_idf_nvs_flash.dir/src/nvs_storage.cpp.obj
[365/1142] Building CXX object esp-idf/nvs_flash/CMakeFiles/_idf_nvs_flash.dir/src/nvs_cxx_api.cpp.obj
[366/1142] Building CXX object esp-idf/nvs_flash/CMakeFiles/_idf_nvs_flash.dir/src/nvs_api.cpp.obj
[367/1142] Building CXX object esp-idf/nvs_flash/CMakeFiles/_idf_nvs_flash.dir/src/nvs_partition_manager.cpp.obj
[368/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/core/dns.c.obj
[369/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/api/sockets.c.obj
[370/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/apps/sntp/sntp.c.obj
[371/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/core/def.c.obj
[372/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/core/ip.c.obj
[373/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/core/memp.c.obj
[374/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/core/init.c.obj
[375/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/core/mem.c.obj
[376/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/core/sys.c.obj
[377/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/core/netif.c.obj
[378/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/core/stats.c.obj
[379/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/core/pbuf.c.obj
[380/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/core/ipv4/autoip.c.obj
[381/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/core/raw.c.obj
[382/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/core/ipv6/dhcp6.c.obj
[383/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/core/timeouts.c.obj
[384/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/core/ipv4/etharp.c.obj
[385/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/core/ipv4/igmp.c.obj
[386/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/core/ipv4/icmp.c.obj
[387/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/core/ipv4/ip4_napt.c.obj
[388/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/core/tcp_out.c.obj
[389/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/core/tcp_in.c.obj
[390/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/core/ipv4/dhcp.c.obj
[391/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/core/udp.c.obj
[392/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/core/tcp.c.obj
[393/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/core/ipv4/ip4.c.obj
[394/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/core/ipv4/ip4_frag.c.obj
[395/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/core/ipv6/ethip6.c.obj
[396/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/core/ipv4/ip4_addr.c.obj
[397/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/core/ipv6/ip6_addr.c.obj
[398/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/core/ipv6/inet6.c.obj
[399/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/core/ipv6/ip6_frag.c.obj
[400/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/core/ipv6/mld6.c.obj
[401/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/core/ipv6/icmp6.c.obj
[402/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/netif/ethernet.c.obj
[403/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/netif/ppp/auth.c.obj
[404/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/netif/bridgeif_fdb.c.obj
[405/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/netif/ppp/chap-new.c.obj
[406/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/netif/slipif.c.obj
[407/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/core/ipv6/ip6.c.obj
[408/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/netif/ppp/ccp.c.obj
[409/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/netif/bridgeif.c.obj

[410/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/netif/ppp/demand.c.obj
[411/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/netif/ppp/chap-md5.c.obj
[412/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/netif/ppp/chap_ms.c.obj
[413/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/netif/ppp/eap.c.obj
[414/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/netif/ppp/ecp.c.obj
[415/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/core/ipv6/nd6.c.obj
[416/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/netif/ppp/fsm.c.obj
[417/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/netif/ppp/ipcp.c.obj
[418/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/netif/ppp/eui64.c.obj
[419/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/netif/ppp/ipv6cp.c.obj
[420/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/netif/ppp/magic.c.obj
[421/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/netif/ppp/mppe.c.obj
[422/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/netif/ppp/multilink.c.obj
[423/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/netif/ppp/lcp.c.obj
[424/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/netif/ppp/pppapi.c.obj
[425/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/netif/ppp/ppp.c.obj
[426/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/netif/ppp/utils.c.obj
[427/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/netif/ppp/upap.c.obj
[428/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/netif/ppp/pppcrypt.c.obj
[429/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/netif/ppp/pppoe.c.obj
[430/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/netif/ppp/pppos.c.obj
[431/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/netif/ppp/pppol2tp.c.obj
[432/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/lwip/src/netif/ppp/vj.c.obj
[433/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/port/esp32/hooks/tcp_isn_default.c.obj
[434/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/port/esp32/hooks/lwip_default_hooks.c.obj
[435/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/apps/ping/esp_ping.c.obj
[436/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/port/esp32/freertos/sys_arch.c.obj

[437/1142] Building C object esp-idf/esp_netif/CMakeFiles/_idf_esp_netif.dir/esp_netif_handlers.c.obj
[438/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/apps/ping/ping.c.obj
[439/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/port/esp32/debug/lwip_debug.c.obj
[440/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/port/esp32/sockets_ext.c.obj
[441/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/port/esp32/vfs_lwip.c.obj
[442/1142] Building C object esp-idf/esp_netif/CMakeFiles/_idf_esp_netif.dir/loopback/esp_netif_loopback.c.obj
[443/1142] Building C object esp-idf/esp_netif/CMakeFiles/_idf_esp_netif.dir/esp_netif_objects.c.obj
[444/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/apps/ping/ping_sock.c.obj
[445/1142] Building C object esp-idf/esp_netif/CMakeFiles/_idf_esp_netif.dir/lwip/netif/wlanif.c.obj
[446/1142] Building C object esp-idf/esp_netif/CMakeFiles/_idf_esp_netif.dir/lwip/esp_netif_lwip_defaults.c.obj
[447/1142] Building C object esp-idf/lwip/CMakeFiles/_idf_lwip.dir/apps/dhcpserver/dhcpserver.c.obj
[448/1142] Building C object esp-idf/esp_netif/CMakeFiles/_idf_esp_netif.dir/esp_netif_defaults.c.obj
[449/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/_idf_wpa_supplicant.dir/port/eloop.c.obj
[450/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/_idf_wpa_supplicant.dir/src/ap/ap_config.c.obj
[451/1142] Building C object esp-idf/esp_netif/CMakeFiles/_idf_esp_netif.dir/lwip/netif/esp_pbuf_ref.c.obj
[452/1142] Building C object esp-idf/esp_netif/CMakeFiles/_idf_esp_netif.dir/lwip/netif/ethernetif.c.obj
[453/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/_idf_wpa_supplicant.dir/port/os_xtensa.c.obj
[454/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/_idf_wpa_supplicant.dir/src/ap/sta_info.c.obj
[455/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/_idf_wpa_supplicant.dir/src/ap/wpa_auth_ie.c.obj
[456/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/_idf_wpa_supplicant.dir/src/ap/ieee802_1x.c.obj
[457/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/_idf_wpa_supplicant.dir/src/utils/bitfield.c.obj
[458/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/_idf_wpa_supplicant.dir/src/common/dragonfly.c.obj
[459/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/_idf_wpa_supplicant.dir/src/crypto/sha256-kdf.c.obj
[460/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/_idf_wpa_supplicant.dir/src/crypto/ccmp.c.obj
[461/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/_idf_wpa_supplicant.dir/src/crypto/aes-gcm.c.obj
[462/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/_idf_wpa_supplicant.dir/src/crypto/dh_groups.c.obj
[463/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/_idf_wpa_supplicant.dir/src/crypto/crypto_ops.c.obj
[464/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/_idf_wpa_supplicant.dir/src/crypto/aes-siv.c.obj
[465/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/_idf_wpa_supplicant.dir/src/crypto/dh_group5.c.obj
[466/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/_idf_wpa_supplicant.dir/src/common/wpa_common.c.obj

[467/1142] Building C object esp-idf/esp_netif/CMakeFiles/___idf_esp_netif.dir/lwip/esp_netif_lwip.c.obj
[468/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/ap/wpa_auth.c.obj
[469/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/crypto/ms_funcs.c.obj
[470/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/crypto/sha1-tlsprf.c.obj
[471/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/crypto/sha256-tlsprf.c.obj
[472/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/common/sae.c.obj
[473/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/crypto/sha256-prf.c.obj
[474/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/crypto/sha1-prf.c.obj
[475/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/crypto/sha384-tlsprf.c.obj
[476/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/crypto/sha384-prf.c.obj
[477/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/common/ieee802_11_common.c.obj
[478/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/crypto/sha1-tpmf.c.obj
[479/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/eap_common/eap_wsc_common.c.obj
[480/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/crypto/md4-internal.c.obj
[481/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/eap_peer/chap.c.obj
[482/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/eap_peer/eap_common.c.obj
[483/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/eap_peer/eap_peap_common.c.obj
[484/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/eap_peer/eap_mschapv2.c.obj
[485/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/eap_peer/eap.c.obj
[486/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/eap_peer/eap_peap.c.obj
[487/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/eap_peer/eap_tls.c.obj
[488/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/eap_peer/mschapv2.c.obj
[489/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/eap_peer/eap_tls.c.obj
[490/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/utls/base64.c.obj
[491/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/eap_peer/eap_tls_common.c.obj
[492/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/eap_peer/eap_fast_common.c.obj
[493/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/rsn_supp/wpa_ie.c.obj
[494/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/rsn_supp/pmksa_cache.c.obj
[495/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/eap_peer/eap_fast_pac.c.obj
[496/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/utls/uuid.c.obj
[497/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/utls/ext_password.c.obj
[498/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/utls/wpabuf.c.obj
[499/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/utls/common.c.obj
[500/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/eap_peer/eap_fast.c.obj
[501/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/utls/wpa_debug.c.obj
[502/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/rsn_supp/wpa.c.obj
[503/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/wps/wps_attr_parse.c.obj
[504/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/wps/wps_attr_build.c.obj
[505/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/utls/json.c.obj
[506/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/wps/wps_attr_process.c.obj
[507/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/wps/wps_dev_attr.c.obj
[508/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/wps/wps.c.obj
[509/1142] Building C object esp-

idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/esp_supplicant/src/esp_common.c.obj
[510/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/wps/wps_common.c.obj
[511/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/esp_supplicant/src/esp_wpas_glue.c.obj
[512/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/wps/wps_enrollee.c.obj
[513/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/esp_supplicant/src/esp_wpa3.c.obj
[514/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/esp_supplicant/src/esp_owe.c.obj
[515/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/esp_supplicant/src/esp_hostap.c.obj
[516/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/crypto/rc4.c.obj
[517/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/esp_supplicant/src/esp_wpa_main.c.obj
[518/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/esp_supplicant/src/crypto/crypto_mbedtls.c.obj
[519/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/crypto/aes-wrap.c.obj
[520/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/esp_supplicant/src/esp_wps.c.obj
[521/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/esp_supplicant/src/crypto/crypto_mbedtls-rsa.c.obj
[522/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/esp_supplicant/src/esp_wpa2.c.obj
[523/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/esp_supplicant/src/crypto/crypto_mbedtls-bignum.c.obj
[524/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/esp_supplicant/src/crypto/tls_mbedtls.c.obj
[525/1142] Building C object esp-idf/esp_wifi/CMakeFiles/___idf_esp_wifi.dir/src/mesh_event.c.obj
[526/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/crypto/aes-unwrap.c.obj
[527/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/crypto/aes-omac1.c.obj
[528/1142] Building C object esp-idf/esp_wifi/CMakeFiles/___idf_esp_wifi.dir/src/smartconfig.c.obj
[529/1142] Building C object esp-idf/esp_wifi/CMakeFiles/___idf_esp_wifi.dir/src/coexist.c.obj
[530/1142] Building C object esp-idf/esp_wifi/CMakeFiles/___idf_esp_wifi.dir/src/wifi_default.c.obj
[531/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/crypto/aes-ccm.c.obj
[532/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/src/crypto/des-internal.c.obj
[533/1142] Building C object esp-idf/esp_wifi/CMakeFiles/___idf_esp_wifi.dir/src/wifi_default_ap.c.obj
[534/1142] Building C object esp-idf/esp-tls/CMakeFiles/___idf_esp-tls.dir/esp-tls-crypto/esp_tls_crypto.c.obj
[535/1142] Building C object esp-idf/wpa_supplicant/CMakeFiles/___idf_wpa_supplicant.dir/esp_supplicant/src/crypto/crypto_mbedtls-ec.c.obj
[536/1142] Building C object esp-idf/esp_wifi/CMakeFiles/___idf_esp_wifi.dir/src/wifi_init.c.obj
[537/1142] Building C object esp-idf/esp_wifi/CMakeFiles/___idf_esp_wifi.dir/src/smartconfig_ack.c.obj
.

[538/1142] Building C object esp-idf/http_parser/CMakeFiles/___idf_http_parser.dir/http_parser.c.obj
[539/1142] Building C object esp-idf/esp_adc/CMakeFiles/___idf_esp_adc.dir/adc_cal.c.obj
[540/1142] Building C object esp-idf/esp_adc/CMakeFiles/___idf_esp_adc.dir/deprecated/esp_adc_cal_common_legacy.c.obj
[541/1142] Building C object esp-idf/esp-tls/CMakeFiles/___idf_esp-tls.dir/esp_tls_error_capture.c.obj
[542/1142] Building C object esp-idf/esp_wifi/CMakeFiles/___idf_esp_wifi.dir/src/wifi_netif.c.obj
[543/1142] Building C object esp-idf/esp_adc/CMakeFiles/___idf_esp_adc.dir/adc_oneshot.c.obj
[544/1142] Building C object esp-idf/esp_adc/CMakeFiles/___idf_esp_adc.dir/adc_common.c.obj
[545/1142] Building C object esp-idf/esp_adc/CMakeFiles/___idf_esp_adc.dir/adc_cal_curve_fitting.c.obj
[546/1142] Building C object esp-idf/esp_wifi/CMakeFiles/___idf_esp_wifi.dir/esp32/esp_adapter.c.obj
[547/1142] Building C object esp-idf/esp_adc/CMakeFiles/___idf_esp_adc.dir/esp32/adc_cal_line_fitting.c.obj
[548/1142] Building C object esp-idf/esp_adc/CMakeFiles/___idf_esp_adc.dir/deprecated/esp32/esp_adc_cal_legacy.c.obj
[549/1142] Building C object esp-idf/esp-tls/CMakeFiles/___idf_esp-tls.dir/esp_tls.c.obj
[550/1142] Building C object esp-idf/esp-tls/CMakeFiles/___idf_esp-tls.dir/esp_tls_mbedtls.c.obj
[551/1142] Building C object esp-idf/esp_eth/CMakeFiles/___idf_esp_eth.dir/src/esp_eth_phy_ip101.c.obj

```

[552/1142] Building ASM object esp-
idf/esp_gdbstub/CMakeFiles/___idf_esp_gdbstub.dir/xtensa/xt_debugexception.S.obj
[553/1142] Building ASM object esp-idf/esp_gdbstub/CMakeFiles/___idf_esp_gdbstub.dir/xtensa/gdbstub-entry.S.obj
[554/1142] Building C object esp-idf/esp_eth/CMakeFiles/___idf_esp_eth.dir/src/esp_eth_phy_dp83848.c.obj
[555/1142] Building C object esp-idf/esp_eth/CMakeFiles/___idf_esp_eth.dir/src/esp_eth_netif_glue.c.obj
[556/1142] Building C object esp-idf/esp_eth/CMakeFiles/___idf_esp_eth.dir/src/esp_eth_phy_lan87xx.c.obj
[557/1142] Building C object esp-idf/esp_gdbstub/CMakeFiles/___idf_esp_gdbstub.dir/src/packet.c.obj
[558/1142] Building C object esp-idf/esp_eth/CMakeFiles/___idf_esp_eth.dir/src/esp_eth_phy_ksz80xx.c.obj
[559/1142] Building C object esp-idf/esp_eth/CMakeFiles/___idf_esp_eth.dir/src/esp_eth_phy_rtl8201.c.obj
[560/1142] Building C object esp-idf/esp_adc/CMakeFiles/___idf_esp_adc.dir/adc_continuous.c.obj
[561/1142] Building C object esp-idf/esp_eth/CMakeFiles/___idf_esp_eth.dir/src/esp_eth_phy_dm9051.c.obj
[562/1142] Building C object esp-idf/esp_eth/CMakeFiles/___idf_esp_eth.dir/src/esp_eth.c.obj
[563/1142] Building C object esp-idf/esp_gdbstub/CMakeFiles/___idf_esp_gdbstub.dir/xtensa/gdbstub_xtensa.c.obj
[564/1142] Building C object esp-idf/esp_eth/CMakeFiles/___idf_esp_eth.dir/src/esp_eth_phy_802_3.c.obj
[565/1142] Building C object esp-idf/esp_eth/CMakeFiles/___idf_esp_eth.dir/src/esp_eth_mac_esp.c.obj
[566/1142] Building C object esp-
idf/esp_gdbstub/CMakeFiles/___idf_esp_gdbstub.dir/esp_common/gdbstub_common.c.obj
[567/1142] Building C object esp-idf/esp_gdbstub/CMakeFiles/___idf_esp_gdbstub.dir/src/gdbstub.c.obj
[568/1142] Building C object esp-idf/esp_eth/CMakeFiles/___idf_esp_eth.dir/src/esp_eth_mac_dm9051.c.obj
[569/1142] Building C object esp-idf/esp_http_client/CMakeFiles/___idf_esp_http_client.dir/lib/http_utils.c.obj
[570/1142] Building C object esp-idf/esp_http_client/CMakeFiles/___idf_esp_http_client.dir/lib/http_header.c.obj
[571/1142] Building C object esp-idf/ulp/CMakeFiles/___idf_ulp.dir/ulp_common/ulp_common.c.obj
[572/1142] Building C object esp-idf/esp_http_client/CMakeFiles/___idf_esp_http_client.dir/lib/http_auth.c.obj
[573/1142] Building C object esp-idf/tcp_transport/CMakeFiles/___idf_tcp_transport.dir/transport.c.obj
[574/1142] Building C object esp-idf/tcp_transport/CMakeFiles/___idf_tcp_transport.dir/transport_internal.c.obj
[575/1142] Linking C static library esp-idf/ulp/libulp.a
[576/1142] Building C object esp-idf/tcp_transport/CMakeFiles/___idf_tcp_transport.dir/transport_ssl.c.obj
[577/1142] Building C object esp-idf/esp_http_server/CMakeFiles/___idf_esp_http_server.dir/src/httpd_sess.c.obj
[578/1142] Building C object esp-idf/esp_http_server/CMakeFiles/___idf_esp_http_server.dir/src/util/ctrl_sock.c.obj
[579/1142] Performing configure step for 'bootloader'
-- Found Git: C:/Program Files/Git/cmd/git.exe (found version "2.21.0.windows.1")
-- The C compiler identification is GNU 11.2.0
-- The CXX compiler identification is GNU 11.2.0
-- The ASM compiler identification is GNU
-- Found assembler: C:/esp-idf-tools/tools/xtensa-esp32-elf/esp-2022r1-11.2.0/xtensa-esp32-elf/bin/xtensa-esp32-elf-
gcc.exe
-- Detecting C compiler ABI info
-- Detecting C compiler ABI info - done
-- Check for working C compiler: C:/esp-idf-tools/tools/xtensa-esp32-elf/esp-2022r1-11.2.0/xtensa-esp32-
elf/bin/xtensa-esp32-elf-gcc.exe - skipped
-- Detecting C compile features
-- Detecting C compile features - done
-- Detecting CXX compiler ABI info
-- Detecting CXX compiler ABI info - done
-- Check for working CXX compiler: C:/esp-idf-tools/tools/xtensa-esp32-elf/esp-2022r1-11.2.0/xtensa-esp32-
elf/bin/xtensa-esp32-elf-g++.exe - skipped
-- Detecting CXX compile features
-- Detecting CXX compile features - done
-- Building ESP-IDF components for target esp32
-- Project sdkconfig file C:/Flowcodev9_Files/MoniEspTest/Test/sdkconfig
-- Looking for sys/types.h
-- Looking for sys/types.h - found
-- Looking for stdint.h
-- Looking for stdint.h - found
-- Looking for stddef.h
-- Looking for stddef.h - found
-- Check size of time_t
-- Check size of time_t - done
-- Adding linker script C:/esp-idf/components/soc/esp32/ld/esp32.peripherals.ld
-- App "bootloader" version: v5.0-dirty
-- Adding linker script C:/esp-idf/components/esp_rom/esp32/ld/esp32.rom.ld
-- Adding linker script C:/esp-idf/components/esp_rom/esp32/ld/esp32.rom.api.ld
-- Adding linker script C:/esp-idf/components/esp_rom/esp32/ld/esp32.rom.libgcc.ld

```



```

-- Adding linker script C:/esp-idf/components/esp_rom/esp32/ld/esp32.rom.newlib-funcs.ld
-- Adding linker script C:/esp-idf/components/bootloader/subproject/main/ld/esp32/bootloader.ld
-- Adding linker script C:/esp-idf/components/bootloader/subproject/main/ld/esp32/bootloader.rom.ld
-- Components: bootloader bootloader_support efuse esp_app_format esp_common esp_hw_support esp_rom
esp_system esptool_py freertos hal log main micro-ecc newlib partition_table soc spi_flash xtensa
-- Component paths: C:/esp-idf/components/bootloader C:/esp-idf/components/bootloader_support C:/esp-
idf/components/efuse C:/esp-idf/components/esp_app_format C:/esp-idf/components/esp_common C:/esp-
idf/components/esp_hw_support C:/esp-idf/components/esp_rom C:/esp-idf/components/esp_system C:/esp-
idf/components/esptool_py C:/esp-idf/components/freertos C:/esp-idf/components/hal C:/esp-idf/components/log
C:/esp-idf/components/bootloader/subproject/main C:/esp-idf/components/bootloader/subproject/components/micro-ecc
C:/esp-idf/components/newlib C:/esp-idf/components/partition_table C:/esp-idf/components/soc C:/esp-
idf/components/spi_flash C:/esp-idf/components/xtensa
-- Configuring done
-- Generating done
-- Build files have been written to: C:/Flowcodev9_Files/MoniEspTest/Test/build/bootloader
[580/1142] Building C object esp-idf/esp_http_server/CMakeFiles/_idf_esp_http_server.dir/src/httpd_ws.c.obj
[581/1142] Building C object esp-idf/tcp_transport/CMakeFiles/_idf_tcp_transport.dir/transport_ws.c.obj
[582/1142] Building C object esp-idf/esp_http_server/CMakeFiles/_idf_esp_http_server.dir/src/httpd_uri.c.obj
[583/1142] Building C object esp-idf/esp_http_server/CMakeFiles/_idf_esp_http_server.dir/src/httpd_txrx.c.obj
[584/1142] Building C object esp-idf/esp_http_server/CMakeFiles/_idf_esp_http_server.dir/src/httpd_main.c.obj
[585/1142] Building C object esp-idf/esp_https_ota/CMakeFiles/_idf_esp_https_ota.dir/src/esp_https_ota.c.obj
[586/1142] Building C object esp-idf/esp_http_server/CMakeFiles/_idf_esp_http_server.dir/src/httpd_parse.c.obj
[587/1142] Linking C static library esp-idf\esp_https_ota\libesp_https_ota.a
[588/1142] Building C object esp-idf/esp_http_client/CMakeFiles/_idf_esp_http_client.dir/esp_http_client.c.obj
[589/1142] Linking C static library esp-idf\esp_http_server\libesp_http_server.a
[590/1142] Linking C static library esp-idf\esp_http_client\libesp_http_client.a
[591/1142] Linking C static library esp-idf\tcp_transport\libtcp_transport.a
[592/1142] Linking C static library esp-idf\esp_gdbstub\libesp_gdbstub.a
[593/1142] Linking C static library esp-idf\esp_eth\libesp_eth.a
[594/1142] Linking C static library esp-idf\esp_adc\libesp_adc.a
[595/1142] Linking C static library esp-idf\esp-tls\libesp-tls.a
[596/1142] Linking C static library esp-idf\http_parser\libhttp_parser.a
[597/1142] Linking C static library esp-idf\esp_wifi\libesp_wifi.a
[598/1142] Linking C static library esp-idf\wpa_supplicant\libwpa_supplicant.a
[599/1142] Linking C static library esp-idf\esp_netif\libesp_netif.a
[600/1142] Linking C static library esp-idf\lwip\liblwip.a
[601/1142] Linking C static library esp-idf\vfs\libvfs.a
[602/1142] Linking C static library esp-idf\esp_phy\libesp_phy.a
[603/1142] Linking C static library esp-idf\nvs_flash\libnvs_flash.a
[604/1142] Linking C static library esp-idf\esp_event\libesp_event.a
[605/1142] Linking C static library esp-idf\esp_timer\libesp_timer.a
[606/1142] Linking C static library esp-idf\esp_common\libesp_common.a
[607/1142] Linking C static library esp-idf\cxx\libcxx.a
[608/1142] Linking C static library esp-idf\newlib\libnewlib.a
[609/1142] Linking C static library esp-idf\freertos\libfreertos.a
[610/1142] Linking C static library esp-idf\esp_hw_support\libesp_hw_support.a
[611/1142] Linking C static library esp-idf\soc\libsoc.a
[612/1142] Linking C static library esp-idf\heap\libheap.a
.
[613/1142] Linking C static library esp-idf\log\liblog.a
[614/1142] Linking C static library esp-idf\hal\libhal.a
[615/1142] Performing build step for 'bootloader'
[1/101] Generating project_elf_src_esp32.c
[2/101] Building C object esp-idf/xtensa/CMakeFiles/_idf_xtensa.dir/eri.c.obj
[3/101] Building C object esp-idf/soc/CMakeFiles/_idf_soc.dir/dport_access_common.c.obj
[4/101] Building C object esp-idf/soc/CMakeFiles/_idf_soc.dir/esp32/sdm_periph.c.obj
[5/101] Building C object esp-idf/soc/CMakeFiles/_idf_soc.dir/esp32/adc_periph.c.obj
[6/101] Building C object esp-idf/soc/CMakeFiles/_idf_soc.dir/lldesc.c.obj
[7/101] Building C object esp-idf/soc/CMakeFiles/_idf_soc.dir/esp32/dport_access.c.obj
[8/101] Building C object esp-idf/xtensa/CMakeFiles/_idf_xtensa.dir/xt_trax.c.obj
[9/101] Building C object esp-idf/soc/CMakeFiles/_idf_soc.dir/esp32/dac_periph.c.obj
[10/101] Building C object esp-idf/soc/CMakeFiles/_idf_soc.dir/esp32/gpio_periph.c.obj

```

[11/101] Building C object esp-idf/soc/CMakeFiles/___idf_soc.dir/esp32/i2c_periph.c.obj
[12/101] Building C object esp-idf/soc/CMakeFiles/___idf_soc.dir/esp32/i2s_periph.c.obj
[13/101] Building C object esp-idf/soc/CMakeFiles/___idf_soc.dir/esp32/ledc_periph.c.obj
[14/101] Building C object esp-idf/soc/CMakeFiles/___idf_soc.dir/esp32/lcd_periph.c.obj
[15/101] Building C object esp-idf/soc/CMakeFiles/___idf_soc.dir/esp32/pcnt_periph.c.obj
[16/101] Building C object esp-idf/soc/CMakeFiles/___idf_soc.dir/esp32/interrupts.c.obj
[17/101] Building C object esp-idf/soc/CMakeFiles/___idf_soc.dir/esp32/mcpwm_periph.c.obj
[18/101] Building C object esp-idf/soc/CMakeFiles/___idf_soc.dir/esp32/rmt_periph.c.obj
[19/101] Building C object esp-idf/soc/CMakeFiles/___idf_soc.dir/esp32/touch_sensor_periph.c.obj
[20/101] Building C object CMakeFiles/bootloader.elf.dir/project_elf_src_esp32.c.obj
[21/101] Building C object esp-idf/soc/CMakeFiles/___idf_soc.dir/esp32/rtc_io_periph.c.obj
[22/101] Building C object esp-idf/soc/CMakeFiles/___idf_soc.dir/esp32/timer_periph.c.obj
[23/101] Building C object esp-idf/soc/CMakeFiles/___idf_soc.dir/esp32/sdmmc_periph.c.obj
[24/101] Building C object esp-idf/soc/CMakeFiles/___idf_soc.dir/esp32/spi_periph.c.obj
[25/101] Building C object esp-idf/soc/CMakeFiles/___idf_soc.dir/esp32/sdio_slave_periph.c.obj
[26/101] Building C object esp-idf/soc/CMakeFiles/___idf_soc.dir/esp32/uart_periph.c.obj
[27/101] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/mmu_hal.c.obj
[28/101] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/mpu_hal.c.obj
[29/101] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/efuse_hal.c.obj
[30/101] Building C object esp-idf/esp_app_format/CMakeFiles/___idf_esp_app_format.dir/esp_app_desc.c.obj
[31/101] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/esp32/efuse_hal.c.obj
[32/101] Building C object esp-idf/bootloader_support/CMakeFiles/___idf_bootloader_support.dir/src/bootloader_console_loader.c.obj
[33/101] Building C object esp-idf/bootloader_support/CMakeFiles/___idf_bootloader_support.dir/src/bootloader_clock_init.c.obj
[34/101] Building C object esp-idf/bootloader_support/CMakeFiles/___idf_bootloader_support.dir/src/bootloader_random.c.obj
[35/101] Building C object esp-idf/hal/CMakeFiles/___idf_hal.dir/wdt_hal_iram.c.obj
[36/101] Building C object esp-idf/bootloader_support/CMakeFiles/___idf_bootloader_support.dir/src/bootloader_random_esp32.c.obj
[37/101] Building C object esp-idf/bootloader_support/CMakeFiles/___idf_bootloader_support.dir/src/bootloader_clock_loader.c.obj
[38/101] Building C object esp-idf/bootloader_support/CMakeFiles/___idf_bootloader_support.dir/src/bootloader_mem.c.obj
[39/101] Building C object esp-idf/bootloader_support/CMakeFiles/___idf_bootloader_support.dir/src/bootloader_console.c.obj
[40/101] Building C object esp-idf/bootloader_support/CMakeFiles/___idf_bootloader_support.dir/src/bootloader_common_loader.c.obj
[41/101] Building C object esp-idf/bootloader_support/CMakeFiles/___idf_bootloader_support.dir/src/flash_encrypt.c.obj
[42/101] Building C object esp-idf/bootloader_support/CMakeFiles/___idf_bootloader_support.dir/src/secure_boot.c.obj
[43/101] Building C object esp-idf/bootloader_support/CMakeFiles/___idf_bootloader_support.dir/src/bootloader_common.c.obj
[44/101] Building C object esp-idf/bootloader_support/CMakeFiles/___idf_bootloader_support.dir/src/bootloader_panic.c.obj
[45/101] Building C object esp-idf/bootloader_support/CMakeFiles/___idf_bootloader_support.dir/src/esp32/bootloader_sha.c.obj
[46/101] Building C object esp-idf/bootloader_support/CMakeFiles/___idf_bootloader_support.dir/src/bootloader_efuse.c.obj
[47/101] Building C object esp-idf/bootloader_support/CMakeFiles/___idf_bootloader_support.dir/bootloader_flash/src/flash_qio_mode.c.obj
[48/101] Building C object esp-idf/bootloader_support/CMakeFiles/___idf_bootloader_support.dir/src/esp32/bootloader_soc.c.obj
[49/101] Building C object esp-idf/bootloader_support/CMakeFiles/___idf_bootloader_support.dir/src/flash_partitions.c.obj
[50/101] Building C object esp-idf/bootloader_support/CMakeFiles/___idf_bootloader_support.dir/bootloader_flash/src/bootloader_flash.c.obj
[51/101] Building C object esp-idf/bootloader_support/CMakeFiles/___idf_bootloader_support.dir/bootloader_flash/src/bootloader_flash_config_esp32.c.obj
[52/101] Building C object esp-idf/efuse/CMakeFiles/___idf_efuse.dir/esp32/esp_efuse_table.c.obj
[53/101] Building C object esp-idf/esp_hw_support/CMakeFiles/___idf_esp_hw_support.dir/esp_memory_utils.c.obj
[54/101] Building C object esp-

```

idf/bootloader_support/CMakeFiles/___idf_bootloader_support.dir/src/esp_image_format.c.obj
[55/101] Building C object esp-idf/efuse/CMakeFiles/___idf_efuse.dir/src/esp_efuse_fields.c.obj
[56/101] Building C object esp-idf/efuse/CMakeFiles/___idf_efuse.dir/esp32/esp_efuse_fields.c.obj
[57/101] Building C object esp-idf/bootloader_support/CMakeFiles/___idf_bootloader_support.dir/src/bootloader_init.c.obj
[58/101] Building C object esp-idf/efuse/CMakeFiles/___idf_efuse.dir/src/efuse_controller/keys/without_key_purposes/three_key_blocks/esp_efuse_api_key.c.obj
[59/101] Building C object esp-idf/efuse/CMakeFiles/___idf_efuse.dir/esp32/esp_efuse_utility.c.obj
[60/101] Building C object esp-idf/efuse/CMakeFiles/___idf_efuse.dir/src/esp_efuse_api.c.obj
[61/101] Building C object esp-idf/bootloader_support/CMakeFiles/___idf_bootloader_support.dir/src/bootloader_utility.c.obj
[62/101] Building C object esp-idf/efuse/CMakeFiles/___idf_efuse.dir/src/esp_efuse_utility.c.obj
[63/101] Building C object esp-idf/esp_hw_support/CMakeFiles/___idf_esp_hw_support.dir/port/esp32 rtc_pm.c.obj
[64/101] Building C object esp-idf/esp_system/CMakeFiles/___idf_esp_system.dir/esp_err.c.obj
[65/101] Building C object esp-idf/esp_hw_support/CMakeFiles/___idf_esp_hw_support.dir/cpu.c.obj
[66/101] Building C object esp-idf/esp_rom/CMakeFiles/___idf_esp_rom.dir/patches/esp_rom_crc.c.obj
[67/101] Building C object esp-idf/esp_rom/CMakeFiles/___idf_esp_rom.dir/patches/esp_rom_sys.c.obj
[68/101] Building C object esp-idf/esp_hw_support/CMakeFiles/___idf_esp_hw_support.dir/port/esp32/chip_info.c.obj
[69/101] Building C object esp-idf/esp_hw_support/CMakeFiles/___idf_esp_hw_support.dir/port/esp32/rtc_init.c.obj
[70/101] Building C object esp-idf/esp_hw_support/CMakeFiles/___idf_esp_hw_support.dir/port/esp32/rtc_sleep.c.obj
[71/101] Building C object esp-idf/esp_common/CMakeFiles/___idf_esp_common.dir/src/esp_err_to_name.c.obj
[72/101] Building C object esp-idf/bootloader_support/CMakeFiles/___idf_bootloader_support.dir/src/esp32/bootloader_esp32.c.obj
[73/101] Building C object esp-idf/esp_hw_support/CMakeFiles/___idf_esp_hw_support.dir/port/esp32/rtc_clk_init.c.obj
[74/101] Building C object esp-idf/esp_hw_support/CMakeFiles/___idf_esp_hw_support.dir/port/esp32/rtc_time.c.obj
[75/101] Building ASM object esp-idf/esp_rom/CMakeFiles/___idf_esp_rom.dir/patches/esp_rom_longjmp.S.obj
[76/101] Building C object esp-idf/esp_rom/CMakeFiles/___idf_esp_rom.dir/patches/esp_rom_regi2c.c.obj
[77/101] Building C object esp-idf/esp_rom/CMakeFiles/___idf_esp_rom.dir/patches/esp_rom_efuse.c.obj
[78/101] Building C object esp-idf/esp_rom/CMakeFiles/___idf_esp_rom.dir/patches/esp_rom_uart.c.obj
[79/101] Building C object esp-idf/micro-ecc/CMakeFiles/___idf_micro-ecc.dir/uECC_verify_antifault.c.obj
[80/101] Building C object esp-idf/log/CMakeFiles/___idf_log.dir/log_noos.c.obj
[81/101] Building C object esp-idf/main/CMakeFiles/___idf_main.dir/bootloader_start.c.obj
[82/101] Building C object esp-idf/esp_hw_support/CMakeFiles/___idf_esp_hw_support.dir/port/esp32/rtc_clk.c.obj
[83/101] Building C object esp-idf/log/CMakeFiles/___idf_log.dir/log.c.obj
[84/101] Building C object esp-idf/log/CMakeFiles/___idf_log.dir/log_buffers.c.obj
[85/101] Building C object esp-idf/esp_rom/CMakeFiles/___idf_esp_rom.dir/patches/esp_rom_spiflash.c.obj
[86/101] Linking C static library esp-idf\log\liblog.a
[87/101] Linking C static library esp-idf\esp_rom\libesp_rom.a
[88/101] Linking C static library esp-idf\esp_common\libesp_common.a
[89/101] Linking C static library esp-idf\esp_hw_support\libesp_hw_support.a
[90/101] Linking C static library esp-idf\esp_system\libesp_system.a
[91/101] Linking C static library esp-idf\efuse\libefuse.a
[92/101] Linking C static library esp-idf\bootloader_support\libbootloader_support.a
[93/101] Linking C static library esp-idf\esp_app_format\libesp_app_format.a
[94/101] Linking C static library esp-idf\hal\libhal.a
[95/101] Linking C static library esp-idf\micro-ecc\libmicro-ecc.a
[96/101] Linking C static library esp-idf\soc\libsoc.a
[97/101] Linking C static library esp-idf\xtensa\libxtensa.a
[98/101] Linking C static library esp-idf\main\libmain.a
[99/101] Linking C executable bootloader.elf
[100/101] Generating binary image from built executable
esptool.py v4.4
Creating esp32 image...
Merged 1 ELF section
Successfully created esp32 image.
Generated C:/Flowcodev9_Files/MoniEspTest/Test/build/bootloader/bootloader.bin
[101/101] cmd.exe /C "cd /D C:/Flowcodev9_Files/MoniEspTest/Test/build/bootloader\esp-idf\esptool_py && C:/esp-idf-tools/python_env\idf5.0_py3.11_env\Scripts/python.exe C:/esp-idf/components/partition_table/check_sizes.py --offset 0x8000 bootloader 0x1000 C:/Flowcodev9_Files/MoniEspTest/Test/build/bootloader/bootloader.bin"
Bootloader binary size 0x6710 bytes. 0x8f0 bytes (8%) free.
[616/1142] Linking C static library esp-idf\esp_rom\libesp_rom.a

```

[617/1142] No install step for 'bootloader'
[618/1142] Linking C static library esp-idf/esp_system/libesp_system.a
[619/1142] Completed 'bootloader'
[620/1142] Linking C static library esp-idf/pthread/libpthread.a
[621/1142] Linking C static library esp-idf/spi_flash/libspi_flash.a
[622/1142] Linking C static library esp-idf/app_update/libapp_update.a
[623/1142] Linking C static library esp-idf/esp_partition/libesp_partition.a
[624/1142] Linking C static library esp-idf/bootloader_support/libbootloader_support.a
[625/1142] Linking C static library esp-idf/esp_app_format/libesp_app_format.a
[626/1142] Linking CXX static library esp-idf/mbedtls/mbedtls/library/libmbedtls.a
[627/1142] Linking CXX static library esp-idf/mbedtls/mbedtls/library/libmbedx509.a
[628/1142] Linking CXX static library esp-idf/mbedtls/mbedtls/library/libmbedcrypto.a
[629/1142] Generating x509_crt_bundle
[630/1142] Generating ../x509_crt_bundle.S
[631/1142] Building C object esp-idf/xtensa/CMakeFiles/_idf_xtensa.dir/eri.c.obj
[632/1142] Building ASM object esp-idf/xtensa/CMakeFiles/_idf_xtensa.dir/xtensa_intr_asm.S.obj
[633/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/sdspi_crc.c.obj
[634/1142] Building C object esp-idf/xtensa/CMakeFiles/_idf_xtensa.dir/xt_trax.c.obj
[635/1142] Building C object esp-idf/efuse/CMakeFiles/_idf_efuse.dir/esp32/esp_efuse_table.c.obj
[636/1142] Building C object esp-idf/xtensa/CMakeFiles/_idf_xtensa.dir/xtensa_intr.c.obj
[637/1142] Building C object esp-idf/efuse/CMakeFiles/_idf_efuse.dir/src/esp_efuse_fields.c.obj
[638/1142] Building C object esp-idf/efuse/CMakeFiles/_idf_efuse.dir/esp32/esp_efuse_fields.c.obj
[639/1142] Building C object esp-idf/efuse/CMakeFiles/_idf_efuse.dir/esp32/esp_efuse_utility.c.obj
[640/1142] Building C object esp-idf/efuse/CMakeFiles/_idf_efuse.dir/src/efuse_controller/keys/without_key_purposes/three_key_blocks/esp_efuse_api_key.c.obj
[641/1142] Building C object esp-idf/efuse/CMakeFiles/_idf_efuse.dir/src/esp_efuse_api.c.obj
[642/1142] Building C object esp-idf/efuse/CMakeFiles/_idf_efuse.dir/src/esp_efuse_utility.c.obj
[643/1142] Building C object esp-idf/esp_ringbuf/CMakeFiles/_idf_esp_ringbuf.dir/ringbuf.c.obj
[644/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/sdspi_transaction.c.obj
[645/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/gptimer.c.obj
[646/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/spi_bus_lock.c.obj
[647/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/gpio rtc_io.c.obj
[648/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/spi_master.c.obj
[649/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/spi_common.c.obj
[650/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/spi_slave.c.obj
[651/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/gpio/gpio.c.obj
[652/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/i2c.c.obj
[653/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/mcpwm/mcpwm_cmpr.c.obj
[654/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/sdspi_host.c.obj
[655/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/mcpwm/mcpwm_com.c.obj
[656/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/ledc.c.obj
[657/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/deprecated/timer_legacy.c.obj
[658/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/mcpwm/mcpwm_cap.c.obj
[659/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/deprecated/adc_dma_legacy.c.obj
[660/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/mcpwm/mcpwm_fault.c.obj
[661/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/mcpwm/mcpwm_oper.c.obj
[662/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/deprecated/adc_legacy.c.obj
[663/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/mcpwm/mcpwm_gen.c.obj
[664/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/mcpwm/mcpwm_sync.c.obj
[665/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/mcpwm/mcpwm_timer.c.obj
[666/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/sdm.c.obj
[667/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/rmt/rmt_common.c.obj
[668/1142] Building C object esp-idf/esp_pm/CMakeFiles/_idf_esp_pm.dir/pm_trace.c.obj
[669/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/deprecated/sigma_delta_legacy.c.obj
[670/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/rmt/rmt_encoder.c.obj
[671/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/rmt/rmt_rx.c.obj
[672/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/uart.c.obj
[673/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/sdmmc_transaction.c.obj
[674/1142] Building C object esp-idf/esp_pm/CMakeFiles/_idf_esp_pm.dir/pm_impl.c.obj
[675/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/pulse_cnt.c.obj
[676/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/sdmmc_host.c.obj
[677/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/rmt/rmt_tx.c.obj

[678/1142] Building ASM object esp-idf/mbedtls/CMakeFiles/_idf_mbedtls.dir/_/_/x509_crt_bundle.S.obj
[679/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/i2s/i2s_std.c.obj
[680/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/twai.c.obj
[681/1142] Building C object esp-idf/esp_pm/CMakeFiles/_idf_esp_pm.dir/pm_locks.c.obj
[682/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/deprecated/pcnt_legacy.c.obj
[683/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/deprecated/mcpwm_legacy.c.obj
[684/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/deprecated/adc_i2s_deprecated.c.obj
[685/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/touch_sensor_common.c.obj
[686/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/esp32/dac.c.obj
[687/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/dac_common.c.obj
[688/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/esp32/touch_sensor.c.obj
[689/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/i2s/i2s_pdm.c.obj
[690/1142] Building C object esp-idf/mbedtls/CMakeFiles/_idf_mbedtls.dir/esp_crt_bundle/esp_crt_bundle.c.obj
[691/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/deprecated/rmt_legacy.c.obj
[692/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/sdio_slave.c.obj
[693/1142] Building C object esp-idf/app_trace/CMakeFiles/_idf_app_trace.dir/app_trace.c.obj
[694/1142] Building ASM object esp-idf/bt/CMakeFiles/_idf_bt.dir/controller/esp32/hli_vectors.S.obj
[695/1142] Building C object esp-idf/app_trace/CMakeFiles/_idf_app_trace.dir/app_trace_util.c.obj
[696/1142] Linking C static library esp-idf/mbedtls/libmbedtls.a
[697/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/i2s/i2s_common.c.obj
[698/1142] Building C object esp-idf/app_trace/CMakeFiles/_idf_app_trace.dir/port/port_uart.c.obj
[699/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/common/osi/allocator.c.obj
[700/1142] Building C object esp-idf/app_trace/CMakeFiles/_idf_app_trace.dir/host_file_io.c.obj
[701/1142] Linking C static library esp-idf/esp_pm/libesp_pm.a
[702/1142] Building C object esp-idf/app_trace/CMakeFiles/_idf_app_trace.dir/gcov/gcov_rtio.c.obj
[703/1142] Building C object esp-idf/driver/CMakeFiles/_idf_driver.dir/deprecated/i2s_legacy.c.obj
[704/1142] Linking C static library esp-idf/driver/libdriver.a
[705/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/controller/esp32/hli_api.c.obj
[706/1142] Linking C static library esp-idf/efuse/libefuse.a
[707/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/common/osi/alarm.c.obj
[708/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/common/btc/core/btc_alarm.c.obj
[709/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/common/btc/core/btc_manage.c.obj
[710/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/common/osi/buffer.c.obj
[711/1142] Linking C static library esp-idf/esp_ringbuf/libesp_ringbuf.a
[712/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/common/osi/hash_map.c.obj
[713/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/common/osi/config.c.obj
[714/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/common/osi/fixed_pkt_queue.c.obj
[715/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/common/btc/profile/esp/blufi/blufi_protocol.c.obj
[716/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/common/btc/profile/esp/blufi/blufi_prf.c.obj
[717/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/common/osi/future.c.obj
[718/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/common/api/esp_blufi_api.c.obj
[719/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/controller/esp32/bt.c.obj
[720/1142] Linking C static library esp-idf/xtensa/libxtensa.a
[721/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/common/osi/fixed_queue.c.obj
[722/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/common/osi/pkt_queue.c.obj
[723/1142] Linking C static library esp-idf/app_trace/libapp_trace.a
[724/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/sdp/bta_sdp_api.c.obj
[725/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/common/btc/core/btc_task.c.obj
[726/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/sys/bta_sys_conn.c.obj
[727/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/common/osi/hash_functions.c.obj
[728/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/sdp/bta_sdp_cfg.c.obj
[729/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/sdp/bta_sdp.c.obj
[730/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/common/osi/list.c.obj
[731/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/porting/mem/bt_osi_mem.c.obj
[732/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/common/osi/mutex.c.obj
[733/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/sdp/bta_sdp_act.c.obj
.
[734/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/common/osi/semaphore.c.obj
[735/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/common/osi/thread.c.obj
[736/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/common/osi/osi.c.obj
[737/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/api/esp_hidd_api.c.obj
[738/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/api/esp_a2dp_api.c.obj

[739/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/api/esp_bt_device.c.obj
[740/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/api/esp_bt_main.c.obj
[741/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/api/esp_avrc_api.c.obj
[742/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/av/bta_av_aact.c.obj
[743/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/api/esp_gatt_common_api.c.obj
[744/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/api/esp_gattc_api.c.obj
[745/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/api/esp_hf_client_api.c.obj
[746/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/api/esp_gap_bt_api.c.obj
[747/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/api/esp_hidh_api.c.obj
[748/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/api/esp_gap_ble_api.c.obj
[749/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/av/bta_av_api.c.obj
[750/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/api/esp_l2cap_bt_api.c.obj
[751/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/api/esp_hf_ag_api.c.obj
[752/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/api/esp_sdp_api.c.obj
[753/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/api/esp_gatts_api.c.obj
[754/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/api/esp_spp_api.c.obj
[755/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/av/bta_av_sbc.c.obj
[756/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/ar/bta_ar.c.obj
[757/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/av/bta_av_ci.c.obj
[758/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/av/bta_av_cfg.c.obj
[759/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/av/bta_av_act.c.obj
[760/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/av/bta_av_main.c.obj
[761/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/av/bta_av_ssm.c.obj
[762/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/dm/bta_dm_cfg.c.obj
[763/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/dm/bta_dm_ci.c.obj
[764/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/dm/bta_dm_qos.c.obj
[765/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/dm/bta_dm_sco.c.obj
[766/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/dm/bta_dm_main.c.obj
[767/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/gatt/bta_gatt_common.c.obj
[768/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/dm/bta_dm_co.c.obj
[769/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/hd/bta_hd_act.c.obj
[770/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/dm/bta_dm_api.c.obj
[771/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/dm/bta_dm_pm.c.obj
[772/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/gatt/bta_gattc_api.c.obj
[773/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/gatt/bta_gattc_ci.c.obj
[774/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/gatt/bta_gattc_main.c.obj
[775/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/gatt/bta_gatts_api.c.obj
[776/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/gatt/bta_gattc_act.c.obj
[777/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/gatt/bta_gattc_co.c.obj
[778/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/gatt/bta_gattc_utils.c.obj
[779/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/gatt/bta_gatts_utils.c.obj
[780/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/gatt/bta_gatts_co.c.obj
[781/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/gatt/bta_gatts_act.c.obj
[782/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/gatt/bta_gattc_cache.c.obj
[783/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/hd/bta_hd_api.c.obj
[784/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/dm/bta_dm_act.c.obj
[785/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/hh/bta_hh_act.c.obj
[786/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/hh/bta_hh_cfg.c.obj
[787/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/hh/bta_hh_api.c.obj
[788/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/hd/bta_hd_main.c.obj
[789/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/hh/bta_hh_main.c.obj
[790/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/gatt/bta_gatts_main.c.obj
[791/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/hh/bta_hh_utils.c.obj
[792/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/hh/bta_hh_le.c.obj
[793/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/hf_ag/bta_ag_at.c.obj
[794/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/jv/bta_jv_main.c.obj
[795/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/jv/bta_jv_api.c.obj
[796/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/jv/bta_jv_cfg.c.obj

[797/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/hf_ag/bta_ag_cfg.c.obj
[798/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/hf_ag/bta_ag_api.c.obj
[799/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/bta/hf_ag/bta_ag_cmd.c.obj

[800/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/bta/hf_ag/bta_ag_act.c.obj
[801/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/bta/hf_ag/bta_ag_sco.c.obj
[802/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/bta/hf_ag/bta_ag_main.c.obj
[803/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/bta/hf_ag/bta_ag_sdp.c.obj
[804/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/bta/hf_ag/bta_ag_rfc.c.obj
[805/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/bta/hf_client/bta_hf_client_act.c.obj
[806/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/btc/core/btc_sec.c.obj
[807/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/bta/hf_client/bta_hf_client_api.c.obj
[808/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/bta/hf_client/bta_hf_client_cmd.c.obj
[809/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/bta/hf_client/bta_hf_client_main.c.obj
[810/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/bta/hf_client/bta_hf_client_at.c.obj
[811/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/bta/jv/bta_jv_act.c.obj
[812/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/bta/hf_client/bta_hf_client_rfc.c.obj
[813/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/bta/hf_client/bta_hf_client_sco.c.obj
[814/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/bta/hf_client/bta_hf_client_sdp.c.obj
[815/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/btc/core/btc_config.c.obj
[816/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/bta/sys/utl.c.obj
[817/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/btc/core/btc_dev.c.obj
[818/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/bta/sys/bta_sys_main.c.obj
[819/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/btc/core/btc_ble_storage.c.obj
[820/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/btc/core/btc_profile_queue.c.obj
[821/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/btc/core/btc_main.c.obj
[822/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/btc/core/btc_sm.c.obj
[823/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/btc/profile/std/a2dp/btc_a2dp_control.c.obj
[824/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/btc/profile/std/a2dp/btc_a2dp.c.obj
[825/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/btc/core/btc_dm.c.obj
[826/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/btc/profile/std/a2dp/bta_av_co.c.obj
[827/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/btc/core/btc_storage.c.obj
[828/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/btc/core/btc_util.c.obj
[829/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/btc/profile/std/avrc/bta_avrc_co.c.obj
[830/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/btc/profile/std/avrc/btc_avrc.c.obj
[831/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/btc/profile/std/hf_client/bta_hf_client_co.c.obj
[832/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/btc/profile/std/a2dp/btc_a2dp_source.c.obj
[833/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/btc/profile/std/a2dp/btc_a2dp_sink.c.obj
[834/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/btc/profile/std/a2dp/btc_av.c.obj
[835/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/btc/profile/std/hf_ag/bta_ag_co.c.obj
[836/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/btc/profile/std/hf_ag/btc_hf_ag.c.obj
[837/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/btc/profile/std/hf_client/btc_hf_client.c.obj
[838/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/btc/profile/std/hid/btc_hh.c.obj
[839/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/btc/profile/std/hid/btc_hd.c.obj
[840/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/btc/profile/std/hid/bta_hh_co.c.obj
[841/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/btc/profile/std/gap/bta_gap_bt_co.c.obj
[842/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/btc/profile/std/gap/btc_gap_bt.c.obj
[843/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/external/sbc/decoder/src/bitalloc.c.obj
[844/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/btc/profile/std/gap/btc_gap_ble.c.obj
[845/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/btc/profile/std/gatt/btc_gattc.c.obj
[846/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/external/sbc/decoder/src/alloc.c.obj
[847/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/external/sbc/decoder/src/bitalloc-sbc.c.obj
[848/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/external/sbc/decoder/src/decoder-oina.c.obj
[849/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/btc/profile/std/gatt/btc_gatt_util.c.obj
[850/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/external/sbc/decoder/src/decoder-sbc.c.obj
[851/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/external/sbc/decoder/src/dequant.c.obj
[852/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/external/sbc/decoder/src/decoder-private.c.obj

[853/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/btc/profile/std/gatt/btc_gatt_common.c.obj
[854/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/btc/profile/std/l2cap/btc_l2cap.c.obj
[855/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/device/bdaddr.c.obj
[856/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/device/interop.c.obj
[857/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/external/sbc/decoder/srcce/bitstream-decode.c.obj
[858/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/btc/profile/std/sdp/btc_sdp.c.obj
[859/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/btc/profile/std/gatt/btc_gatts.c.obj
[860/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/external/sbc/decoder/srcce/synthesis-dct8.c.obj
[861/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/device/controller.c.obj
[862/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/hci/hci_audio.c.obj
[863/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/external/sbc/decoder/srcce/framing.c.obj
[864/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/external/sbc/decoder/srcce/oi_codec_version.c.obj
[865/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/external/sbc/decoder/srcce/synthesis-8-generated.c.obj
[866/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/btc/profile/std/spp/btc_spp.c.obj
[867/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/external/sbc/decoder/srcce/framing-sbc.c.obj
[868/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/external/sbc/decoder/srcce/synthesis-sbc.c.obj
[869/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/external/sbc/encoder/srcce/sbc_dct_coefs.c.obj
[870/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/external/sbc/encoder/srcce/sbc_dct.c.obj
[871/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/external/sbc/encoder/srcce/sbc_analysis.c.obj
[872/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/external/sbc/encoder/srcce/sbc_enc_bit_alloc_ste.c.obj
[873/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/external/sbc/encoder/srcce/sbc_packing.c.obj
[874/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/external/sbc/encoder/srcce/sbc_encoder.c.obj
[875/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/external/sbc/encoder/srcce/sbc_enc_bit_alloc_mono.c.obj
[876/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/external/sbc/encoder/srcce/sbc_enc_coefs.c.obj
[877/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/external/sbc/plc/sbc_plc.c.obj
.
[878/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/hci/hci_packet_factory.c.obj
[879/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/hci/hci_packet_parser.c.obj
[880/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/hci/packet_fragmenter.c.obj
[881/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/hci/hci_layer.c.obj
[882/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/hci/hci_hal_h4.c.obj
[883/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/main/bte_main.c.obj
[884/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/stack/a2dp/a2d_api.c.obj
[885/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/stack/avct/avct_ccb.c.obj
[886/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/main/bte_init.c.obj
[887/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/stack/avct/avct_lcb.c.obj
[888/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/stack/a2dp/a2d_sbc.c.obj
[889/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/porting/ext/tinycrypt/src/ecc_platform_specific.c.obj
[890/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/stack/avct/avct_lcb_act.c.obj
[891/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/stack/avct/avct_l2c.c.obj
[892/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/porting/ext/tinycrypt/src/hmac.c.obj
[893/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/stack/avct/avct_api.c.obj
[894/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/stack/avdt/avdt_ccb.c.obj
[895/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/stack/avdt/avdt_ccb_act.c.obj
[896/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/stack/avrc/avrc_api.c.obj
[897/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/porting/ext/tinycrypt/src/hmac_prng.c.obj
[898/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/porting/ext/tinycrypt/src/cbc_mode.c.obj

[899/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/avdt/avdt_ad.c.obj
[900/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/avdt/avdt_scb_act.c.obj
[901/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/avdt/avdt_api.c.obj
[902/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/avdt/avdt_l2c.c.obj
[903/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/avdt/avdt_msg.c.obj
[904/1142] Building C object esp-idf/esp_hid/CMakeFiles/_idf_esp_hid.dir/src/esp_hid_common.c.obj
[905/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/avdt/avdt_scb.c.obj
[906/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/avrc/avrc_bld_ct.c.obj
[907/1142] Building C object esp-idf/esp_hid/CMakeFiles/_idf_esp_hid.dir/src/ble_hidd.c.obj
[908/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/avrc/avrc_opt.c.obj
[909/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/avrc/avrc_bld_tg.c.obj
[910/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/avrc/avrc_pars_tg.c.obj
[911/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/avrc/avrc_pars_ct.c.obj
[912/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/avrc/avrc_utils.c.obj
[913/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/hid/hidh_conn.c.obj
[914/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/hid/hidh_api.c.obj
[915/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/avrc/avrc_sdp.c.obj
[916/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/hid/hidd_api.c.obj
[917/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/hid/hidd_conn.c.obj
[918/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/btm/btm_ble_cont_energy.c.obj
[919/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/btm/btm_ble_5_gap.c.obj
[920/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/btm/btm_ble_batchscan.c.obj
[921/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/btm/btm_ble_addr.c.obj
[922/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/btm/btm_ble.c.obj
[923/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/btm/btm_ble_adv_filter.c.obj
[924/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/btm/btm_devctl.c.obj
[925/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/btm/btm_ble_bgconn.c.obj
[926/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/btm/btm_acl.c.obj
[927/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/btm/btm_ble_privacy.c.obj
[928/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/btm/btm_dev.c.obj
[929/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/btu/btu_init.c.obj
[930/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/btm/btm_inq.c.obj
[931/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/btm/btm_ble_multi_adv.c.obj
[932/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/btu/btu_hcif.c.obj
[933/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/btm/btm_ble_gap.c.obj
[934/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/btm/btm_sco.c.obj
[935/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/btm/btm_main.c.obj
[936/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/btm/btm_pm.c.obj
[937/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/gap/gap_ble.c.obj
[938/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/gap/gap_conn.c.obj
[939/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/gap/gap_api.c.obj

[940/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/btu/btu_task.c.obj
[941/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/gap/gap_utils.c.obj
[942/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/l2cap/l2cap_client.c.obj
[943/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/gatt/gatt_auth.c.obj
[944/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/gatt/gatt_cl.c.obj
[945/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/gatt/gatt_attr.c.obj
[946/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/gatt/gatt_protocol.c.obj
[947/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/gatt/gatt_main.c.obj
[948/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/btm/btm_sec.c.obj
[949/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/gatt/gatt_api.c.obj
[950/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/gatt/gatt_db.c.obj
[951/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/hcic/hciblecmds.c.obj
[952/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/gatt/gatt_sr.c.obj
[953/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/l2cap/l2c_fcr.c.obj
[954/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/hcic/hcicmds.c.obj
[955/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/l2cap/l2c_link.c.obj
[956/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/gatt/gatt_utils.c.obj
[957/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/l2cap/l2c_ued.c.obj
[958/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/l2cap/l2c_ble.c.obj
[959/1142] Building C object esp-idf/bt/CMakeFiles/_idf_bt.dir/host/bluedroid/stack/l2cap/l2c_csm.c.obj

[960/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/stack/l2cap/l2c_api.c.obj
[961/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/stack/rfcomm/port_api.c.obj
[962/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/stack/rfcomm/rfc_l2cap_if.c.obj
[963/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/stack/rfcomm/rfc_mx_fsm.c.obj
[964/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/stack/rfcomm/rfc_port_fsm.c.obj
[965/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/stack/rfcomm/port_utils.c.obj
[966/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/stack/l2cap/l2c_main.c.obj
[967/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/stack/rfcomm/rfc_port_if.c.obj
[968/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/stack/rfcomm/port_rfc.c.obj
[969/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/stack/sdp/sdp_api.c.obj
[970/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/stack/sdp/sdp_db.c.obj
[971/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/stack/rfcomm/rfc_utils.c.obj
[972/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/stack/rfcomm/rfc_ts_frames.c.obj
[973/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/stack/smp/p_256_ecc_pp.c.obj
[974/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/stack/smp/aes.c.obj
[975/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/stack/l2cap/l2c_utils.c.obj
[976/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/stack/smp/p_256_multiprecision.c.obj
[977/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/stack/sdp/sdp_utils.c.obj
[978/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/stack/smp/p_256_curvepara.c.obj
[979/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/stack/sdp/sdp_main.c.obj
[980/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/porting/ext/tinycrypt/src/sha256.c.obj
[981/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/stack/sdp/sdp_server.c.obj
[982/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/porting/ext/tinycrypt/src/ctr_mode.c.obj
[983/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/stack/smp/smp_api.c.obj
[984/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/stack/sdp/sdp_discovery.c.obj
[985/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/porting/ext/tinycrypt/src/utils.c.obj
[986/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/porting/ext/tinycrypt/src/aes_encrypt.c.obj
[987/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/porting/ext/tinycrypt/src/ctr_prng.c.obj
[988/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/porting/ext/tinycrypt/src/aes_decrypt.c.obj
[989/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/porting/ext/tinycrypt/src/cmac_mode.c.obj
[990/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/porting/ext/tinycrypt/src/ecc_dsa.c.obj
[991/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/porting/ext/tinycrypt/src/ecc.c.obj
[992/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/porting/ext/tinycrypt/src/ccm_mode.c.obj
[993/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/porting/ext/tinycrypt/src/ecc_dh.c.obj
[994/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/stack/smp/smp_cmac.c.obj
[995/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/stack/smp/smp_main.c.obj
[996/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/stack/smp/smp_act.c.obj
[997/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/stack/smp/smp_l2c.c.obj
[998/1142] Building C object esp-idf/unity/CMakeFiles/___idf_unity.dir/unity_utils_cache.c.obj
[999/1142] Building C object esp-idf/unity/CMakeFiles/___idf_unity.dir/unity_runner.c.obj
[1000/1142] Building C object esp-idf/esp_hid/CMakeFiles/___idf_esp_hid.dir/src/esp_hidd.c.obj
[1001/1142] Building C object esp-idf/cmock/CMakeFiles/___idf_cmock.dir/CMock/src/cmock.c.obj
[1002/1142] Building C object esp-idf/console/CMakeFiles/___idf_console.dir/split_argv.c.obj
[1003/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/stack/smp/smp_br_main.c.obj
[1004/1142] Building C object esp-idf/unity/CMakeFiles/___idf_unity.dir/unity_utils_freertos.c.obj
[1005/1142] Building C object esp-idf/unity/CMakeFiles/___idf_unity.dir/unity_port_esp32.c.obj
[1006/1142] Building C object esp-idf/console/CMakeFiles/___idf_console.dir/commands.c.obj
[1007/1142] Building C object esp-idf/unity/CMakeFiles/___idf_unity.dir/unity/src/unity.c.obj
[1008/1142] Building C object esp-idf/unity/CMakeFiles/___idf_unity.dir/port/esp/unity_utils_memory_esp.c.obj
[1009/1142] Building C object esp-idf/unity/CMakeFiles/___idf_unity.dir/unity_utils_memory.c.obj
[1010/1142] Building C object esp-idf/esp_hid/CMakeFiles/___idf_esp_hid.dir/src/esp_hidh.c.obj
[1011/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/stack/smp/smp_keys.c.obj
[1012/1142] Building C object esp-idf/console/CMakeFiles/___idf_console.dir/argtable3/arg_dstr.c.obj
[1013/1142] Building C object esp-idf/console/CMakeFiles/___idf_console.dir/argtable3/arg_cmd.c.obj
[1014/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/common/btc/profile/esp/blufi/bluedroid_host/esp_blufi.c.obj
[1015/1142] Building C object esp-idf/console/CMakeFiles/___idf_console.dir/argtable3/arg_end.c.obj
[1016/1142] Linking C static library esp-idf/unity/libunity.a
[1017/1142] Building C object esp-idf/console/CMakeFiles/___idf_console.dir/argtable3/arg_file.c.obj
[1018/1142] Building C object esp-idf/console/CMakeFiles/___idf_console.dir/argtable3/arg_dbl.c.obj
[1019/1142] Building C object esp-idf/console/CMakeFiles/___idf_console.dir/argtable3/arg_date.c.obj
[1020/1142] Building C object esp-idf/console/CMakeFiles/___idf_console.dir/linenoise/linenoise.c.obj
[1021/1142] Building C object esp-idf/console/CMakeFiles/___idf_console.dir/argtable3/arg_rem.c.obj

[1022/1142] Building C object esp-idf/console/CMakeFiles/___idf_console.dir/esp_console_repl.c.obj
[1023/1142] Building C object esp-idf/console/CMakeFiles/___idf_console.dir/argtable3/arg_lit.c.obj
[1024/1142] Building C object esp-idf/bt/CMakeFiles/___idf_bt.dir/host/bluedroid/stack/smp/smp_utils.c.obj
[1025/1142] Linking C static library esp-idf/cmock/libcmock.a
[1026/1142] Building C object esp-idf/console/CMakeFiles/___idf_console.dir/argtable3/arg_utils.c.obj
[1027/1142] Building C object esp-idf/console/CMakeFiles/___idf_console.dir/argtable3/arg_str.c.obj
[1028/1142] Building C object esp-idf/console/CMakeFiles/___idf_console.dir/argtable3/arg_int.c.obj
[1029/1142] Building C object esp-idf/console/CMakeFiles/___idf_console.dir/argtable3/arg_hashtable.c.obj
[1030/1142] Building C object esp-idf/console/CMakeFiles/___idf_console.dir/argtable3/arg_rex.c.obj
[1031/1142] Building C object esp-idf/console/CMakeFiles/___idf_console.dir/argtable3/argtable3.c.obj
[1032/1142] Building C object esp-idf/esp_hid/CMakeFiles/___idf_esp_hid.dir/src/bt_hidh.c.obj
[1033/1142] Building C object esp-idf/esp_lcd/CMakeFiles/___idf_esp_lcd.dir/src/esp_lcd_panel_io.c.obj
[1034/1142] Building C object esp-idf/esp_hid/CMakeFiles/___idf_esp_hid.dir/src/bt_hidd.c.obj
[1035/1142] Linking C static library esp-idf/console/libconsole.a
[1036/1142] Building C object esp-idf/esp_lcd/CMakeFiles/___idf_esp_lcd.dir/src/esp_lcd_panel_ops.c.obj
[1037/1142] Building C object esp-idf/protocomm/CMakeFiles/___idf_protocomm.dir/proto-c/constants.pb-c.c.obj
[1038/1142] Linking C static library esp-idf/bt/libbt.a
[1039/1142] Building C object esp-idf/esp_lcd/CMakeFiles/___idf_esp_lcd.dir/src/esp_lcd_common.c.obj
[1040/1142] Building C object esp-idf/protocomm/CMakeFiles/___idf_protocomm.dir/proto-c/session.pb-c.c.obj
[1041/1142] Building C object esp-idf/protocomm/CMakeFiles/___idf_protocomm.dir/proto-c/sec0.pb-c.c.obj
[1042/1142] Building C object esp-idf/esp_lcd/CMakeFiles/___idf_esp_lcd.dir/src/esp_lcd_panel_io_i2c.c.obj
[1043/1142] Building C object esp-idf/protocomm/CMakeFiles/___idf_protocomm.dir/proto-c/sec2.pb-c.c.obj
[1044/1142] Building C object esp-idf/protocomm/CMakeFiles/___idf_protocomm.dir/proto-c/sec1.pb-c.c.obj
[1045/1142] Building C object esp-idf/esp_lcd/CMakeFiles/___idf_esp_lcd.dir/src/esp_lcd_panel_st7789.c.obj
[1046/1142] Building C object esp-idf/esp_lcd/CMakeFiles/___idf_esp_lcd.dir/src/esp_lcd_panel_ssd1306.c.obj
[1047/1142] Building C object esp-idf/esp_lcd/CMakeFiles/___idf_esp_lcd.dir/src/esp_lcd_panel_nt35510.c.obj
[1048/1142] Building C object esp-idf/protocomm/CMakeFiles/___idf_protocomm.dir/src/common/protocomm.c.obj
[1049/1142] Building C object esp-idf/esp_lcd/CMakeFiles/___idf_esp_lcd.dir/src/esp_lcd_panel_io_spi.c.obj
[1050/1142] Building C object esp-idf/protocomm/CMakeFiles/___idf_protocomm.dir/src/security/security0.c.obj
[1051/1142] Building C object esp-idf/esp_hid/CMakeFiles/___idf_esp_hid.dir/src/ble_hidh.c.obj
[1052/1142] Building C object esp-idf/esp_lcd/CMakeFiles/___idf_esp_lcd.dir/src/esp_lcd_panel_io_i2s.c.obj
[1053/1142] Linking C static library esp-idf/esp_hid/libesp_hid.a
[1054/1142] Building C object esp-idf/protocomm/CMakeFiles/___idf_protocomm.dir/src/transport/protocomm_console.c.obj
[1055/1142] Building C object esp-idf/protobuf-c/CMakeFiles/___idf_protobuf-c.dir/protobuf-c/protobuf-c/protobuf-c.c.obj
[1056/1142] Building C object esp-idf/esp_local_ctrl/CMakeFiles/___idf_esp_local_ctrl.dir/src/esp_local_ctrl_transport_ble.c.obj
[1057/1142] Building C object esp-idf/protocomm/CMakeFiles/___idf_protocomm.dir/src/crypto/srp6a/esp_srp_mpi.c.obj
[1058/1142] Linking C static library esp-idf/esp_lcd/libesp_lcd.a
[1059/1142] Building C object esp-idf/esp_local_ctrl/CMakeFiles/___idf_esp_local_ctrl.dir/proto-c/esp_local_ctrl.pb-c.c.obj
[1060/1142] Building C object esp-idf/protocomm/CMakeFiles/___idf_protocomm.dir/src/crypto/srp6a/esp_srp.c.obj
[1061/1142] Building C object esp-idf/protocomm/CMakeFiles/___idf_protocomm.dir/src/transport/protocomm_httpd.c.obj
[1062/1142] Building C object esp-idf/esp_local_ctrl/CMakeFiles/___idf_esp_local_ctrl.dir/src/esp_local_ctrl_handler.c.obj
[1063/1142] Building C object esp-idf/protocomm/CMakeFiles/___idf_protocomm.dir/src/transport/protocomm_ble.c.obj
[1064/1142] Building C object esp-idf/espcoredump/CMakeFiles/___idf_espcoredump.dir/src/core_dump_common.c.obj
[1065/1142] Building C object esp-idf/espcoredump/CMakeFiles/___idf_espcoredump.dir/src/core_dump_checksum.c.obj
[1066/1142] Linking C static library esp-idf/protobuf-c/libprotobuf-c.a
[1067/1142] Building C object esp-idf/esp_local_ctrl/CMakeFiles/___idf_esp_local_ctrl.dir/src/esp_local_ctrl.c.obj
[1068/1142] Building C object esp-idf/protocomm/CMakeFiles/___idf_protocomm.dir/src/simple_ble/simple_ble.c.obj
[1069/1142] Building C object esp-idf/protocomm/CMakeFiles/___idf_protocomm.dir/src/security/security2.c.obj
[1070/1142] Building C object esp-idf/protocomm/CMakeFiles/___idf_protocomm.dir/src/security/security1.c.obj
[1071/1142] Building CXX object esp-idf/wear_levelling/CMakeFiles/___idf_wear_levelling.dir/crc32.cpp.obj
[1072/1142] Building C object esp-idf/espcoredump/CMakeFiles/___idf_espcoredump.dir/src/core_dump_binary.c.obj
[1073/1142] Building C object esp-idf/espcoredump/CMakeFiles/___idf_espcoredump.dir/src/core_dump_elf.c.obj
[1074/1142] Building CXX object esp-idf/wear_levelling/CMakeFiles/___idf_wear_levelling.dir/Partition.cpp.obj
[1075/1142] Building C object esp-

idf/espcoredump/CMakeFiles/___idf_espcoredump.dir/src/port/xtensa/core_dump_port.c.obj
[1076/1142] Building CXX object esp-idf/wear_levelling/CMakeFiles/___idf_wear_levelling.dir/WL_Ext_Safe.cpp.obj
[1077/1142] Linking C static library esp-idf\protocomm\libprotocomm.a
[1078/1142] Building C object esp-idf/espcoredump/CMakeFiles/___idf_espcoredump.dir/src/core_dump_flash.c.obj
[1079/1142] Building C object esp-idf/espcoredump/CMakeFiles/___idf_espcoredump.dir/src/core_dump_uart.c.obj
[1080/1142] Building CXX object esp-idf/wear_levelling/CMakeFiles/___idf_wear_levelling.dir/SPI_Flash.cpp.obj
[1081/1142] Building CXX object esp-idf/wear_levelling/CMakeFiles/___idf_wear_levelling.dir/WL_Ext_Perf.cpp.obj
[1082/1142] Building CXX object esp-idf/wear_levelling/CMakeFiles/___idf_wear_levelling.dir/wear_levelling.cpp.obj
[1083/1142] Linking C static library esp-idf\esp_local_ctrl\libesp_local_ctrl.a
[1084/1142] Linking C static library esp-idf/espcoredump/libespcoredump.a
[1085/1142] Building CXX object esp-idf/wear_levelling/CMakeFiles/___idf_wear_levelling.dir/WL_Flash.cpp.obj
[1086/1142] Building C object esp-idf/sdmmc/CMakeFiles/___idf_sdmmc.dir/sdmmc_init.c.obj
[1087/1142] Building C object esp-idf/sdmmc/CMakeFiles/___idf_sdmmc.dir/sdmmc_cmd.c.obj
[1088/1142] Building C object esp-idf/fatfs/CMakeFiles/___idf_fatfs.dir/diskio/diskio_sdmmc.c.obj
[1089/1142] Building C object esp-idf/sdmmc/CMakeFiles/___idf_sdmmc.dir/sdmmc_common.c.obj
[1090/1142] Building C object esp-idf/fatfs/CMakeFiles/___idf_fatfs.dir/diskio/diskio.c.obj
[1091/1142] Building C object esp-idf/fatfs/CMakeFiles/___idf_fatfs.dir/port/freertos/ffsystem.c.obj
[1092/1142] Building C object esp-idf/fatfs/CMakeFiles/___idf_fatfs.dir/diskio/diskio_rawflash.c.obj
[1093/1142] Building C object esp-idf/sdmmc/CMakeFiles/___idf_sdmmc.dir/sdmmc_sd.c.obj
[1094/1142] Building C object esp-idf/sdmmc/CMakeFiles/___idf_sdmmc.dir/sdmmc_mmc.c.obj
[1095/1142] Building C object esp-idf/sdmmc/CMakeFiles/___idf_sdmmc.dir/sdmmc_io.c.obj
[1096/1142] Linking C static library esp-idf\wear_levelling\libwear_levelling.a
[1097/1142] Building C object esp-idf/fatfs/CMakeFiles/___idf_fatfs.dir/diskio/diskio_wl.c.obj
[1098/1142] Building C object esp-idf/fatfs/CMakeFiles/___idf_fatfs.dir/src/ffunicode.c.obj
[1099/1142] Building C object esp-idf/json/CMakeFiles/___idf_json.dir/cJSON/cJSON_Utils.c.obj
[1100/1142] Building C object esp-idf/fatfs/CMakeFiles/___idf_fatfs.dir/vfs/vfs_fat_spiflash.c.obj
[1101/1142] Linking C static library esp-idf/sdmmc/libsdmmc.a
[1102/1142] Building C object esp-idf/fatfs/CMakeFiles/___idf_fatfs.dir/vfs/vfs_fat_sdmmc.c.obj
[1103/1142] Building C object esp-idf/fatfs/CMakeFiles/___idf_fatfs.dir/vfs/vfs_fat.c.obj
[1104/1142] Building C object esp-idf/perfmon/CMakeFiles/___idf_perfmon.dir/xtensa_perfmon_masks.c.obj
[1105/1142] Building C object esp-idf/json/CMakeFiles/___idf_json.dir/cJSON/cJSON.c.obj
[1106/1142] Building C object esp-idf/perfmon/CMakeFiles/___idf_perfmon.dir/xtensa_perfmon_access.c.obj
[1107/1142] Building C object esp-idf/mqtt/CMakeFiles/___idf_mqtt.dir/esp-mqtt/lib/mqtt_outbox.c.obj
[1108/1142] Building C object esp-idf/mqtt/CMakeFiles/___idf_mqtt.dir/esp-mqtt/lib/mqtt_msg.c.obj
[1109/1142] Building C object esp-idf/mqtt/CMakeFiles/___idf_mqtt.dir/esp-mqtt/lib/platform_esp32_idf.c.obj
[1110/1142] Building C object esp-idf/perfmon/CMakeFiles/___idf_perfmon.dir/xtensa_perfmon_apis.c.obj
[1111/1142] Building C object esp-idf/fatfs/CMakeFiles/___idf_fatfs.dir/src/ff.c.obj
[1112/1142] Linking C static library esp-idf/json/libjson.a
[1113/1142] Building C object esp-idf/spiffs/CMakeFiles/___idf_spiffs.dir/spiffs/src/spiffs_cache.c.obj
[1114/1142] Building C object esp-idf/spiffs/CMakeFiles/___idf_spiffs.dir/spiffs/src/spiffs_gc.c.obj
[1115/1142] Building C object esp-idf/wifi_provisioning/CMakeFiles/___idf_wifi_provisioning.dir/proto-
c/wifi_constants.pb-c.c.obj
[1116/1142] Linking C static library esp-idf/perfmon/libperfmon.a
[1117/1142] Building C object esp-idf/spiffs/CMakeFiles/___idf_spiffs.dir/spiffs/src/spiffs_check.c.obj
[1118/1142] Building C object esp-idf/spiffs/CMakeFiles/___idf_spiffs.dir/spiffs_api.c.obj
[1119/1142] Linking C static library esp-idf/fatfs/libfatfs.a
[1120/1142] Building C object esp-idf/spiffs/CMakeFiles/___idf_spiffs.dir/spiffs/src/spiffs_hydrogen.c.obj
[1121/1142] Building C object esp-idf/wifi_provisioning/CMakeFiles/___idf_wifi_provisioning.dir/proto-
c/wifi_scan.pb-c.c.obj
[1122/1142] Building C object esp-idf/wifi_provisioning/CMakeFiles/___idf_wifi_provisioning.dir/src/wifi_scan.c.obj
[1123/1142] Building C object esp-idf/wifi_provisioning/CMakeFiles/___idf_wifi_provisioning.dir/proto-
c/wifi_config.pb-c.c.obj
[1124/1142] Building C object esp-idf/spiffs/CMakeFiles/___idf_spiffs.dir/spiffs/src/spiffs_nucleus.c.obj
[1125/1142] Building C object esp-
idf/wifi_provisioning/CMakeFiles/___idf_wifi_provisioning.dir/src/scheme_console.c.obj
[1126/1142] Building C object esp-idf/spiffs/CMakeFiles/___idf_spiffs.dir/esp_spiffs.c.obj
[1127/1142] Building C object esp-idf/wifi_provisioning/CMakeFiles/___idf_wifi_provisioning.dir/src/wifi_config.c.obj
[1128/1142] Building C object esp-idf/wifi_provisioning/CMakeFiles/___idf_wifi_provisioning.dir/src/handlers.c.obj
[1129/1142] Linking C static library esp-idf/spiffs/libspiffs.a
[1130/1142] Building C object esp-idf/mqtt/CMakeFiles/___idf_mqtt.dir/esp-mqtt/mqtt_client.c.obj
[1131/1142] Building C object esp-
idf/wifi_provisioning/CMakeFiles/___idf_wifi_provisioning.dir/src/scheme_softap.c.obj
[1132/1142] Building C object esp-idf/wifi_provisioning/CMakeFiles/___idf_wifi_provisioning.dir/src/scheme_ble.c.obj

[1133/1142] Linking C static library esp-idf\mqtt\libmqtt.a
[1134/1142] Building C object esp-idf/main/CMakeFiles/_idf_main.dir/esp-project.c.obj
FAILED: esp-idf/main/CMakeFiles/_idf_main.dir/esp-project.c.obj
ccache C:\esp-idf-tools\tools\xtensa-esp32-elf\esp-2022r1-11.2.0\xtensa-esp32-elf\bin\xtensa-esp32-elf-gcc.exe
-DMBEDTLS_CONFIG_FILE=\"mbedtls/esp_config.h\" -DUNITY_INCLUDE_CONFIG_H
-IC:/Flowcodev9_Files/MoniEspTest/Test/build/config -IC:/esp-idf/components/newlib/platform_include -IC:/esp-idf/components/freertos/FreeRTOS-Kernel/include -IC:/esp-idf/components/freertos/esp_additions/include/freertos -IC:/esp-idf/components/freertos/FreeRTOS-Kernel/portable/xtensa/include -IC:/esp-idf/components/freertos/esp_additions/include -IC:/esp-idf/components/esp_hw_support/include -IC:/esp-idf/components/esp_hw_support/include/soc -IC:/esp-idf/components/esp_hw_support/include/soc/esp32 -IC:/esp-idf/components/esp_hw_support/port/esp32/ -IC:/esp-idf/components/esp_hw_support/port/esp32/private_include -IC:/esp-idf/components/heap/include -IC:/esp-idf/components/log/include -IC:/esp-idf/components/soc/include -IC:/esp-idf/components/soc/esp32/ -IC:/esp-idf/components/soc/esp32/include -IC:/esp-idf/components/hal/esp32/include -IC:/esp-idf/components/hal/include -IC:/esp-idf/components/hal/platform_port/include -IC:/esp-idf/components/esp_rom/include -IC:/esp-idf/components/esp_rom/include/esp32 -IC:/esp-idf/components/esp_rom/esp32 -IC:/esp-idf/components/esp_common/include -IC:/esp-idf/components/esp_system/include -IC:/esp-idf/components/esp_system/port/soc -IC:/esp-idf/components/esp_system/port/include/private -IC:/esp-idf/components/xtensa/include -IC:/esp-idf/components/xtensa/esp32/include -IC:/esp-idf/components/lwip/include -IC:/esp-idf/components/lwip/include/apps -IC:/esp-idf/components/lwip/include/apps/snmp -IC:/esp-idf/components/lwip/lwip/src/include -IC:/esp-idf/components/lwip/port/esp32/include -IC:/esp-idf/components/lwip/port/esp32/include/arch -IC:/esp-idf/components/esp_ringbuf/include -IC:/esp-idf/components/efuse/include -IC:/esp-idf/components/efuse/esp32/include -IC:/esp-idf/components/driver/include -IC:/esp-idf/components/driver/deprecated -IC:/esp-idf/components/driver/esp32/include -IC:/esp-idf/components/esp_pm/include -IC:/esp-idf/components/mbedtls/port/include -IC:/esp-idf/components/mbedtls/mbedtls/include -IC:/esp-idf/components/mbedtls/mbedtls/library -IC:/esp-idf/components/mbedtls/esp_crypto/include -IC:/esp-idf/components/esp_app_format/include -IC:/esp-idf/components/bootloader_support/include -IC:/esp-idf/components/bootloader_support/bootloader_flash/include -IC:/esp-idf/components/esp_partition/include -IC:/esp-idf/components/app_update/include -IC:/esp-idf/components/spi_flash/include -IC:/esp-idf/components/pthread/include -IC:/esp-idf/components/esp_timer/include -IC:/esp-idf/components/app_trace/include -IC:/esp-idf/components/esp_event/include -IC:/esp-idf/components/nvs_flash/include -IC:/esp-idf/components/esp_phy/include -IC:/esp-idf/components/esp_phy/esp32/include -IC:/esp-idf/components/vfs/include -IC:/esp-idf/components/esp_netif/include -IC:/esp-idf/components/wpa_supplicant/include -IC:/esp-idf/components/wpa_supplicant/port/include -IC:/esp-idf/components/wpa_supplicant/esp_supplicant/include -IC:/esp-idf/components/esp_wifi/include -IC:/esp-idf/components/bt/include/esp32/include -IC:/esp-idf/components/bt/common/osi/include -IC:/esp-idf/components/bt/common/api/include/api -IC:/esp-idf/components/bt/common/btc/profile/esp/blufi/include -IC:/esp-idf/components/bt/common/btc/profile/esp/include -IC:/esp-idf/components/bt/host/bluedroid/api/include/api -IC:/esp-idf/components/bt/porting/ext/tinycrypt/include -IC:/esp-idf/components/unity/include -IC:/esp-idf/components/unity/unity/src -IC:/esp-idf/components/cmock/CMock/src -IC:/esp-idf/components/console -IC:/esp-idf/components/http_parser -IC:/esp-idf/components/esp-tls -IC:/esp-idf/components/esp-tls/esp-tls-crypto -IC:/esp-idf/components/esp_adc/include -IC:/esp-idf/components/esp_adc/interface -IC:/esp-idf/components/esp_adc/esp32/include -IC:/esp-idf/components/esp_adc/deprecated/include -IC:/esp-idf/components/esp_eth/include -IC:/esp-idf/components/esp_gdbstub/include -IC:/esp-idf/components/esp_gdbstub/xtensa -IC:/esp-idf/components/esp_gdbstub/esp32 -IC:/esp-idf/components/esp_hid/include -IC:/esp-idf/components/tcp_transport/include -IC:/esp-idf/components/esp_http_client/include -IC:/esp-idf/components/esp_http_server/include -IC:/esp-idf/components/esp_https_ota/include -IC:/esp-idf/components/esp_lcd/include -IC:/esp-idf/components/esp_lcd/interface -IC:/esp-idf/components/protobuf-c/protobuf-c -IC:/esp-idf/components/protocomm/include/common -IC:/esp-idf/components/protocomm/include/security -IC:/esp-idf/components/protocomm/include/transport -IC:/esp-idf/components/esp_local_ctrl/include -IC:/esp-idf/components/esp_psram/include -IC:/esp-idf/components/espcoredump/include -IC:/esp-idf/components/espcoredump/include/port/xtensa -IC:/esp-idf/components/wear_levelling/include -IC:/esp-idf/components/sdmmc/include -IC:/esp-idf/components/fatfs/diskio -IC:/esp-idf/components/fatfs/vfs -IC:/esp-idf/components/fatfs/src -IC:/esp-idf/components/idf_test/include -IC:/esp-idf/components/idf_test/include/esp32 -IC:/esp-idf/components/ieee802154/include -IC:/esp-idf/components/json/cJSON -IC:/esp-idf/components/mqtt/esp-mqtt/include -IC:/esp-idf/components/perfmon/include -IC:/esp-idf/components/spiffs/include -IC:/esp-idf/components/ulp/ulp_common/include -IC:/esp-idf/components/ulp/ulp_common/include/esp32 -IC:/esp-idf/components/wifi_provisioning/include -mlongcalls -Wno-frame-address -fdiagnostics-color=always -ffunction-sections -fdata-sections -Wall -Werror=all -Wno-error=unused-function -Wno-error=unused-variable -Wno-error=deprecated-declarations -Wextra -Wno-unused-parameter -Wno-sign-compare -Wno-enum-conversion -gdwarf-4 -ggdb -Og -fmacro-prefix-map=C:/Flowcodev9_Files/MoniEspTest/Test=. -fmacro-prefix-map=C:/esp-idf=/IDF -fstrict-volatile-bitfields -Wno-error=unused-but-set-variable -fno-jump-tables -fno-tree-switch-conversion

```

-DconfigENABLE_FREERTOS_DEBUG_OCDAWARE=1 -std=gnu17 -Wno-old-style-declaration
-D_GNU_SOURCE -DIDF_VER="\v5.0-dirty\" -DESP_PLATFORM -D_POSIX_READER_WRITER_LOCKS -MD
-MT esp-idf/main/CMakeFiles/___idf_main.dir/esp-project.c.obj -MF esp-idf/main/CMakeFiles/___idf_main.dir/esp-
project.c.obj.d -o esp-idf/main/CMakeFiles/___idf_main.dir/esp-project.c.obj -c
C:/Flowcodev9_Files/MoniEspTest/Test/main/esp-project.c
In file included from C:/Flowcodev9_Files/MoniEspTest/Test/main/esp-project.c:38:
C:/esp-idf/components/esp_event/include/esp_event_loop.h:2:2: warning: #warning "esp_event_loop.h is deprecated,
please include esp_event.h instead" [-Wcpp]
    2 | #warning "esp_event_loop.h is deprecated, please include esp_event.h instead"
      | ^~~~~~
In file included from C:/Flowcodev9_Files/MoniEspTest/Test/main/esp-project.c:40:
C:/esp-idf/components/driver/deprecated/driver/adc.h:19:2: warning: #warning "legacy adc driver is deprecated, please
migrate to use esp_adc/adc_oneshot.h and esp_adc/adc_continuous.h for oneshot mode and continuous mode drivers
respectively" [-Wcpp]
    19 | #warning "legacy adc driver is deprecated, please migrate to use esp_adc/adc_oneshot.h and
esp_adc/adc_continuous.h for oneshot mode and continuous mode drivers respectively"
      | ^~~~~~
In file included from C:\ProgramData\MatrixTSL\FlowcodeV9\CAL\internals.c:566,
      from C:/Flowcodev9_Files/MoniEspTest/Test/main/esp-project.c:48:
C:\ProgramData\MatrixTSL\FlowcodeV9\CAL\ESP\ESP_CAL_IO.c: In function 'FC_CAL_Port_Out_DDR':
C:\ProgramData\MatrixTSL\FlowcodeV9\CAL\ESP\ESP_CAL_IO.c:79:49: error: implicit declaration of function
'gpio_pad_select_gpio'; did you mean 'esp_rom_gpio_pad_select_gpio'? [-Werror=implicit-function-declaration]
    79 |             gpio_pad_select_gpio(PORT + idx);
      |             ^~~~~~
      |             esp_rom_gpio_pad_select_gpio
C:\ProgramData\MatrixTSL\FlowcodeV9\CAL\ESP\ESP_CAL_IO.c: At top level:
C:\ProgramData\MatrixTSL\FlowcodeV9\CAL\ESP\ESP_CAL_IO.c:198:8: error: unknown type name 'gpio_dev_t'
    198 | extern gpio_dev_t GPIO;
      | ^~~~~~
C:\ProgramData\MatrixTSL\FlowcodeV9\CAL\ESP\ESP_CAL_IO.c: In function 'FC_CAL_Bit_Out_DDR':
C:\ProgramData\MatrixTSL\FlowcodeV9\CAL\ESP\ESP_CAL_IO.c:224:29: error: request for member 'out_wlts' in
something not a structure or union
    224 |             GPIO.out_wlts = Mask;
      |             ^
C:\ProgramData\MatrixTSL\FlowcodeV9\CAL\ESP\ESP_CAL_IO.c:228:29: error: request for member 'out_wlts' in
something not a structure or union
    228 |             GPIO.out_wlts = Mask;
      |             ^
C:\ProgramData\MatrixTSL\FlowcodeV9\CAL\ESP\ESP_CAL_IO.c:251:29: error: request for member 'out1_wlts' in
something not a structure or union
    251 |             GPIO.out1_wlts.data = Mask;
      |             ^
C:\ProgramData\MatrixTSL\FlowcodeV9\CAL\ESP\ESP_CAL_IO.c:255:29: error: request for member 'out1_wlts' in
something not a structure or union
    255 |             GPIO.out1_wlts.data = Mask;
      |             ^
In file included from C:\ProgramData\MatrixTSL\FlowcodeV9\CAL\ESP\ESP_CAL_Delay.c:142,
      from C:\ProgramData\MatrixTSL\FlowcodeV9\CAL\internals.c:567,
      from C:/Flowcodev9_Files/MoniEspTest/Test/main/esp-project.c:48:
C:/esp-idf/components/driver/deprecated/driver/timer.h: At top level:
C:/esp-idf/components/driver/deprecated/driver/timer.h:16:2: warning: #warning "legacy timer group driver is
deprecated, please migrate to driver/gptimer.h" [-Wcpp]
    16 | #warning "legacy timer group driver is deprecated, please migrate to driver/gptimer.h"
      | ^~~~~~
In file included from C:\ProgramData\MatrixTSL\FlowcodeV9\CAL\internals.c:568,
      from C:/Flowcodev9_Files/MoniEspTest/Test/main/esp-project.c:48:
C:\ProgramData\MatrixTSL\FlowcodeV9\CAL\ESP\ESP_CAL_String.c:876:13: warning: 'FCI_SCOPY' defined but
not used [-Wunused-function]
    876 | static void FCI_SCOPY(MX_STRING sSrc, MX_UINT16 iSrc_len, MX_STRING sDst, MX_UINT16
iDst_len)
      |             ^~~~~~
C:\ProgramData\MatrixTSL\FlowcodeV9\CAL\ESP\ESP_CAL_String.c:815:13: warning: 'FCI_SHEAD' defined but
not used [-Wunused-function]

```

```

815 | static void FCI_SHEAD(MX_STRING sSrc1, MX_UINT16 iSrc1_len, MX_STRING sSrc2, MX_UINT16
iSrc2_len, MX_STRING sDst, MX_UINT16 iDst_len)
|      ^~~~~~
C:\ProgramData\MatrixTSL\FlowcodeV9\CAL\ESP\ESP_CAL_String.c:795:18: warning: 'FCI_STRMOV' defined but
not used [-Wunused-function]
795 | static MX_UINT16 FCI_STRMOV(MX_STRING sSrc, MX_UINT16 iSrc_len, MX_STRING sDst,
MX_UINT16 iDst_len)
|      ^~~~~~
C:\ProgramData\MatrixTSL\FlowcodeV9\CAL\ESP\ESP_CAL_String.c:771:18: warning: 'FCI_STRREV' defined but
not used [-Wunused-function]
771 | static MX_UINT16 FCI_STRREV(MX_STRING sSrc, MX_UINT16 iSrc_len, MX_STRING sDst,
MX_UINT16 iDst_len)
|      ^~~~~~
C:\ProgramData\MatrixTSL\FlowcodeV9\CAL\ESP\ESP_CAL_String.c:701:17: warning: 'FCI_STRING_TO_FLOAT'
defined but not used [-Wunused-function]
701 | static MX_FLOAT FCI_STRING_TO_FLOAT(MX_STRING String, MX_UINT16 MSZ_String)
|      ^~~~~~
C:\ProgramData\MatrixTSL\FlowcodeV9\CAL\ESP\ESP_CAL_String.c:598:18: warning: 'FCI_NUMBER_TO_HEX'
defined but not used [-Wunused-function]
598 | static MX_STRING FCI_NUMBER_TO_HEX(MX_ULONG Number, MX_STRING String, MX_UINT16
MSZ_String)
|      ^~~~~~
C:\ProgramData\MatrixTSL\FlowcodeV9\CAL\ESP\ESP_CAL_String.c:531:18: warning: 'FCI_FLOAT_TO_STRING'
defined but not used [-Wunused-function]
531 | static MX_STRING FCI_FLOAT_TO_STRING(MX_FLOAT Number, MX_UINT8 Precision, MX_STRING
String, MX_UINT16 MSZ_String)
|      ^~~~~~
C:\ProgramData\MatrixTSL\FlowcodeV9\CAL\ESP\ESP_CAL_String.c:476:17: warning: 'FCI_COMPARE' defined
but not used [-Wunused-function]
476 | static MX_UINT8 FCI_COMPARE(MX_STRING sSrc1, MX_UINT16 iSrc1_len, MX_STRING sSrc2,
MX_UINT16 iSrc2_len, MX_UINT8 iNoCase)
|      ^~~~~~
C:\ProgramData\MatrixTSL\FlowcodeV9\CAL\ESP\ESP_CAL_String.c:450:13: warning: 'FCI_TOUPPER' defined
but not used [-Wunused-function]
450 | static void FCI_TOUPPER(MX_STRING sSrc, MX_UINT16 iSrc_len, MX_STRING sDst, MX_UINT16
iDst_len)
|      ^~~~~~
C:\ProgramData\MatrixTSL\FlowcodeV9\CAL\ESP\ESP_CAL_String.c:424:13: warning: 'FCI_TOLOWER' defined
but not used [-Wunused-function]
424 | static void FCI_TOLOWER(MX_STRING sSrc, MX_UINT16 iSrc_len, MX_STRING sDst, MX_UINT16
iDst_len)
|      ^~~~~~
C:\ProgramData\MatrixTSL\FlowcodeV9\CAL\ESP\ESP_CAL_String.c:331:10: warning: 'FCI_TOSTRU32' defined
but not used [-Wunused-function]
331 | MX_UINT8 FCI_TOSTRU32(MX_UINT32 iSrc1, MX_STRING sDst, MX_UINT16 iDst_len)
|      ^~~~~~
C:\ProgramData\MatrixTSL\FlowcodeV9\CAL\ESP\ESP_CAL_String.c:297:10: warning: 'FCI_TOSTRU16' defined
but not used [-Wunused-function]
297 | MX_UINT8 FCI_TOSTRU16(MX_UINT16 iSrc1, MX_STRING sDst, MX_UINT16 iDst_len)
|      ^~~~~~
C:\ProgramData\MatrixTSL\FlowcodeV9\CAL\ESP\ESP_CAL_String.c:254:10: warning: 'FCI_TOSTRS32' defined
but not used [-Wunused-function]
254 | MX_UINT8 FCI_TOSTRS32(MX_SINT32 iSrc1, MX_STRING sDst, MX_UINT16 iDst_len)
|      ^~~~~~
C:\ProgramData\MatrixTSL\FlowcodeV9\CAL\ESP\ESP_CAL_String.c:211:10: warning: 'FCI_TOSTRS16' defined
but not used [-Wunused-function]
211 | MX_UINT8 FCI_TOSTRS16(MX_SINT16 iSrc1, MX_STRING sDst, MX_UINT16 iDst_len)
|      ^~~~~~
C:\ProgramData\MatrixTSL\FlowcodeV9\CAL\ESP\ESP_CAL_String.c:182:18: warning: 'FCI_RIGHTSTRING'
defined but not used [-Wunused-function]
182 | static MX_STRING FCI_RIGHTSTRING(MX_STRING sSrc, MX_UINT16 iSrc_len, MX_UINT16 iCount,
MX_STRING sDst, MX_UINT16 iDst_len)
|      ^~~~~~

```

```

C:\ProgramData\MatrixTSL\FlowcodeV9\CAL\ESP\ESP_CAL_String.c:159:18: warning: 'FCI_LEFTSTRING'
defined but not used [-Wunused-function]
 159 | static MX_STRING FCI_LEFTSTRING(MX_STRING sSrc, MX_UINT16 iSrc_len, MX_UINT16 iCount,
MX_STRING sDst, MX_UINT16 iDst_len)
    |               ^~~~~~
In file included from C:\ProgramData\MatrixTSL\FlowcodeV9\CAL\internals.c:568,
    from C:\Flowcodev9_Files\MoniEspTest\Test\main\esp-project.c:48:
C:\ProgramData\MatrixTSL\FlowcodeV9\CAL\ESP\ESP_CAL_String.c:129:18: warning: 'FCI_MIDSTRING' defined
but not used [-Wunused-function]
 129 | static MX_STRING FCI_MIDSTRING(MX_STRING sSrc, MX_UINT16 iSrc_len, MX_UINT16 iStart,
MX_UINT16 iCount, MX_STRING sDst, MX_UINT16 iDst_len)
    |               ^~~~~~
C:\ProgramData\MatrixTSL\FlowcodeV9\CAL\ESP\ESP_CAL_String.c:121:18: warning: 'FCI_GETLENGTH' defined
but not used [-Wunused-function]
 121 | static MX_UINT16 FCI_GETLENGTH(MX_STRING sStr1, MX_UINT16 iStr1_len)
    |               ^~~~~~
C:\ProgramData\MatrixTSL\FlowcodeV9\CAL\ESP\ESP_CAL_String.c:113:17: warning: 'FCI_GETCHAR' defined
but not used [-Wunused-function]
 113 | static MX_UINT8 FCI_GETCHAR(MX_STRING sStr1, MX_UINT16 iStr1_len, MX_UINT16 iPos)
    |               ^~~~~~
ccl.exe: some warnings being treated as errors
[1135/1142] Building C object esp-idf/wifi_provisioning/CMakeFiles/___idf_wifi_provisioning.dir/src/manager.c.obj
ninja: build stopped: subcommand failed.
#[0;33mHINT: Please check that the function name is correct. Also it is possible that you've forgot to import
gpio_pad_select_gpio library(s) in header file or add the necessary REQUIRES component. Try to add missing libraries
to your project header file or check idf_component_register(REQUIRES ...) section in your component CmakeList.txt
file. For more information run 'idf.py docs -sp api-guides/build-system.html'.
Also, please check if the function has been removed, renamed or replaced by an alternative function - refer to the
migration guide for more information.#[0m
ninja failed with exit code 1, output of the command is in the
c:\flowcodev9_files\moniesptest\test\build\log\idf_py_stderr_output_4464 and
c:\flowcodev9_files\moniesptest\test\build\log\idf_py_stdout_output_4464

```

Build Failed

.

C:\ProgramData\MatrixTSL\FlowcodeV9\FCD\ESP\Batch\esp32_build.bat reported error code 0x1

Autoclose turned off

FINISHED